

Gacme[®]

RENIN

BRAMPTON, CANADA

110 Walker Drive Brampton, ON L6T 4H6

RENIN

TUPELO, USA

1141 Ryder Street Tupelo, MS 38804

- acmesystemsandhardware.com
- 1-800-493-5263

2019 Catalog

Gacme* HARDWARE

& KITS

Table of Contents







BARN DOOR HARDWARE & KITS

Adding the finishing touches to any renovation or decorating project can complete a homes look. Hardware plays an important role in enhancing the style of a space. With a multitude of choices available, factors to consider can include how well a particular style or Finish complements the overall design theme and how the hardware will function within the space relative to other important decor items. Hardware is like adding jewelry to a room, the personality that makes the room reflect the home owners style and interests.

acmesystemsandhardware.com

Gacme

CADIUM &

NEW

ALLURE

Table of Contents





ALLURE HARDWARE KITS (80 LBS)

The Allure Barn Door Hardware Kit helps complete your look with bent strap hanging hardware in a matte black finish. The two piece track, allows for a smaller package than traditional barn door hardware. The kit is suitable for doors weighing up to 80 lbs.

- Kit includes matte black bent strap hangers, two piece 78-3/4" track, dampers and hanging hardware for one barn door weighing up to 80lbs
- Matching acetal wheels with full metal sealed ball bearings provide excellent strength and durability and ensures a smooth and quiet glide action
- Left and right track stops include dampers to minimize door slamming and rattling
- Suitable for barn doors 1-3/8", 1-1/2" and 1-3/4" thick
- Matte black hardened steel factory finished, ready-to-install
- Handle sold separately

ALLURE 80 LBS HARDWARE KIT			
NAME	DESCRIPTION	PAGE	
ALLURE	Bent Strap 2-piece Track Barn Door Kit	6	

NEW CADIUM HARDWARE KITS (150 LBS)


The Cadium Barn Door Hardware Kit is available in bent strap or straight strap hanging hardware, allowing you to customize the look of your door. The kit is suitable for doors weighing up to 150 lbs.

- Kit includes 78 3/4" or 96" hardened steel track, hangers and hardware for one barn door weight up to 150lbs
- Improved end stop eliminates hanging hardware location issues
- Wheels provide excellent strength and durability as well as smoothness of travel along the track
- Suitable for 1-3/8" thick doors weighing up to 150lbs (68 kg)
- Matte black hardened steel factory finished, ready-to-install
- Handle sold separately

CADIUM 150 LBS HARDWARE KIT			
NAME	DESCRIPTION	PAGE	
CABUDA	BENT STRAP BARN DOOR HARDWARE KIT	8	
CADIUM	STRAIGHT STRAP BARN DOOR HARDWARE KIT	9	

acmesystems and hardware.com













ALLURE BENT STRAP 2-PIECE TRACK BARN DOOR KIT



Door Slab sold separately.

- Kit includes matte black bent strap hangers, two piece 78-3/4" track, dampers and hanging hardware for one barn door weighing up to 80lbs
- Matching acetal wheels with full metal sealed ball bearings provide excellent strength and durability and ensures a smooth and quiet glide action
- · Left and right track stops include dampers to minimize door slamming and rattling
- Suitable for barn doors 1-3/8", 1-1/2" and 1-3/4" thick
- Matte black hardened steel factory finished, ready-to-install
- Handle sold separately



ALLURE BENT STRAP 2-PIECE TRACK BARN DOOR KIT



ALLURE HARDWARE BAGSET

Matte Black Shown

ALLURE BARN DOOR HARDWARE KIT				
TRACK SIZE	PRODUCT NUMBER			
70.7/4# (2000	Matte Black	Bent Strap	80 lbs	BD107K-07812-MB
78 3/4" (2000 mm)	Gray finish			BD106K-07812-GY











NEW CADIUM BENT STRAP BARN DOOR HARDWARE KIT

1x



BD202K-MB

Option 96" TRACK

BD5001-09600-MB

78 3/4" TRACK BD5001-09600-MB

1x

INCLUDED IN KIT









FLOOR GUIDE

BD860-MBL BD860-MBR





5 x CONCRETE BOLTS



CADIUM BENT STRAP BARN DOOR HARDWARE KIT				
TRACK SIZE FINISH WEIGHT CAPACITY PRODUCT NUMBER				
78 3/4" (2000 mm)	Matta Diagle	150 lbs	BD202K-07800-MB	
96" (2438 mm)	Matte Black		BD202K-09600-MB	





Gacme

NEW CADIUM STRAIGHT STRAP BARN DOOR HARDWARE KIT

1x





BD200K-MB



BD5001-07800-MB



BD5001-09600-MB

INCLUDED IN KIT



WALL SPACERS



1x

TRACK END STOPS BD860-MBL BD860-MBR

1x



FLOOR GUIDE



FLOOR MOUNTED GUIDE



WALL MOUNTED GUIDE





DRYV	NALL	SCREV	VS

CADIUM STRAIGHT STRAP BARN DOOR HARDWARE KIT				
TRACK SIZE	FINISH	WEIGHT CAPACITY	PRODUCT NUMBER	
78 3/4" (2000 mm)	Matta Diagle	150 lbs	BD200K-07800-MB	
96" (2438 mm)	Matte Black		BD200K-09600-MB	



BARN DOOR



HARDWARE & KITS

Table of Contents









BARN DOOR HARDWARE & KITS


Adding the finishing touches to any renovation or decorating project can complete a homes look. Hardware plays an important role in enhancing the style of a space. With a multitude of choices available, factors to consider can include how well a particular style or Finish complements the overall design theme and how the hardware will function within the space relative to other important decor items. Hardware is like adding jewelry to a room, the personality that makes the room reflect the home owners style and interests.

250 LB BARN DOOR HARDWARE & KITS	
PRODUCT	PAGE
Matte Black Barn Door Hardware Kits And Parts	12
Stainless Steel Barn Door Hardware Kits And Parts	16
Spectrum Colored Barn Door Hardware Kit - Copper	20
Spectrum Colored Barn Door Hardware Kit - Burnished Bronze	22
Biparting Track Joiner	24
Bypass Barn Door Bracket Kit	25
Easy Clip Soft Close Hardware In Matte Black Finish Set	26

acmesystems and hardware.com



MATTE BLACK BARN DOOR HARDWARE PARTS



Door slab and handle not included. Matte Black Bent Strap Hardware Kit Shown.













MATTE BLACK BARN DOOR HARDWARE KITS

STRAIGHT STRAP



STRAIGHT STRAP HARDWARE KIT			
TRACK SIZE	PRODUCT NUMBER		
78 3/4" (2000 mm)	BD100K-07800-MB		
96" (2438 mm)	BD100K-09600-MB		

TOP OF DOOR STRAP



TOP OF DOOR HARDWARE KIT			
TRACK SIZE PRODUCT NUMBER			
78 3/4" (2000 mm)	BD101K-07800-MB		
96" (2438 mm) BD101K-09600-MB			

BENT STRAP



BENT STRAP HARDWARE KIT			
TRACK SIZE	PRODUCT NUMBER		
78 3/4" (2000 mm)	BD102K-07800-MB		
96" (2438 mm)	BD102K-09600-MB		

250 LB 113.3 KG



MATTE BLACK BARN DOOR HARDWARE KITS

PARTS INCLUI	DED IN KITS	# PIECES	вох	REPLACEMENT PART #	PARTS IMAGE
78 3/4″ Track		1	1	BD5000-07800-MB	• • •
			▲ Choo	se your track ▼	
96″ Track		1	1	BD5000-09600-MB	• • • • • •
	78 3/4"	5	1	20750 M5	
Wall Spacer	96"	6	1	BD350-MB	•
Track Mount Screws	78 3/4"	5	1	DD476 MD	19
(With anchor for Drywall)	96"	6	1	BD136-MB	10
Track Mount Bolts (With	78 3/4"	5	1	DD174 MD	10
carriage anchor for Concrete)	96"	6	1	BD134-MB	
Single Strap Mounting Bolt (For	1 3/4"	2	1	BD133-MB	1
Bent/Straight Strap kits)	1 3/8"	2	1	BD130-MB	% ` •
	F 16:	1	1	BD850-MB-L	4
Left and Right	End Stops	1	1	BD850-MB-R	
Anti-Jump Discs		2	1	BD790	
Floor Mount Guide		1	1	BD750	WH THE
Optional Wall Mount and Floor Surface Guides		1 each	1	HW99161	THE THE













REPLACEMENT PARTS						
PART NAME	REPLACEMENT	UNITS	PART #	PARTS IMAGE		
Single Bent Strap (supplied with 1 3/8" bolts - 1 3/4" bolts sold separately)	Two barn door straps are	1	BD552-MB			
Single Straight Strap (supplied with 1 3/8" bolts - 1 3/4" bolts sold separately)	required for each barn door hung	1	BD550-MB			
Single Top Mount (Supplied with Top Mounting screws)	Two barn door Top Mounts are required for each barn door hung	1	BD551-MB	1		

ACCESSORIES PARTS				
PART NAME	ACCESSORIES	UNITS	PART #	PARTS IMAGE
Single Door Handle (6 1/2" x 1" x 1 1/2")	With Mounting Screws	1	BD450-MB	
Single Rectangular Flush Door Pull (6 7/16" x 2 1/8")	With Mounting Screws	1	BD460-MB	
Single Privacy Latch	With Mounting Hardware	1	BD250-MB	Hoos "

ADD-A-DOOR						
PART NAME	KIT INCLUDES	UNITS	PART #	PARTS IMAGE		
Bent Strap kit with 1 3/8" mounting bolts (1 3/4" bolts sold separately)	 Straps 1 3/8" mounting bolts left and right stoppers Anti-jump discs Floor guide Optional floor guides. 	1	BD400-102-MB			
Straight Strap kit with 1 3/8″ mounting bolts (1 3/4″ bolts sold separately)	 Straps 1 3/8" mounting bolts left and right stoppers Anti-jump discs Floor guide Optional floor guides. 	1	BD400-100-MB			
Top Mount kit with top mount screws	 Top Mounts Mounting Screws left and right stoppers Anti-jump discs Floor guide Optional floor guides. 	1	BD400-101-MB	* P		



STAINLESS STEEL BARN DOOR HARDWARE PARTS



Door slab not included. Stainless Steel Bent Strap Hardware Kit Shown.













STAINLESS STEEL BARN DOOR HARDWARE KITS

STRAIGHT STRAP



STRAIGHT STRAP HARDWARE KIT					
TRACK SIZE	PRODUCT NUMBER				
78 3/4" (2000 mm)	BD100K-07800-SS				
96" (2438 mm) BD100K-09600-SS					

TOP OF DOOR STRAP



TOP OF DOOR HARDWARE KIT					
TRACK SIZE	PRODUCT NUMBER				
78 3/4" (2000 mm)	BD101K-07800-SS				
96" (2438 mm)	BD101K-09600-SS				

BENT STRAP




BENT STRAP HARDWARE KIT					
TRACK SIZE	PRODUCT NUMBER				
78 3/4" (2000 mm)	BD102K-07800-SS				
96" (2438 mm)	BD102K-09600-SS				











STAINLESS STEEL BARN DOOR HARDWARE KITS

PARTS INCLUI	DED IN KITS	# PIECES	вох	REPLACEMENT PART #	PARTS IMAGE
78 3/4" Track	78 3/4" Track		1	BD5000-07800-SS	
▲ Choose your track ▼					
96″ Track		1	1	BD5000-09600-SS	*
Wall Spacer	78 3/4"	5	1	BD350-SS	
waii Spacei	96"	6	1	BD330-33	0.0
Track Mount Screws	78 3/4"	5	1		99
(With anchor for Drywall)	96"	6	1	BD136-SS	
Track Mount Bolts (With	78 3/4"	5	1		10
carriage anchor for Concrete)	96"	6	1	BD134-SS	
Single Strap Mounting	1 3/4"	2	1	BD133-SS	1
Bolt (For Bent/Straight Strap kits)	1 3/8"	2	1	BD130-SS	S
Laft and Diabet	Fral Chana	1	1	BD850-SS-L	400
Left and Right	Ena Stops	1	1	BD850-SS-R	~0
Anti-Jump Dis	cs	2	1	BD790	
Floor Mount Guide		1	1	BD750	MA
Optional Wall I Floor Surface (Mount and Guides	1 each	1	HW99161	Will II













REPLACEMENT PARTS						
PART NAME	REPLACEMENT	UNITS	PART #	PARTS IMAGE		
Single Bent Strap (supplied with 1 3/8" bolts - 1 3/4" bolts sold separately)	Two barn door straps are	1	BD552-SS			
Single Straight Strap (supplied with 1 3/8" bolts - 1 3/4" bolts sold separately)	required for each barn door hung	1	BD550-SS			
Single Top Mount (Supplied with Top Mounting screws)	Two barn door Top Mounts are required for each barn door hung	1	BD551-SS	2		

ACCESSORIES PARTS				
PART NAME	ACCESSORIES	UNITS	PART #	PARTS IMAGE
Single Door Handle (6 1/2" x 1" x 1 1/2")	With Mounting Screws	1	BD450-SS	
Single Rectangular Flush Door Pull (6 7/16" x 2 1/8")	With Mounting Screws	1	BD460-SS	
Single Privacy Latch	With Mounting Hardware	1	BD250-SS	401
Round Flush Pull	Brushed Nickel	1	64495	

ADD-A-DOOR						
PART NAME	KIT INCLUDES	UNITS	PART #	PARTS IMAGE		
Bent Strap kit with 1 3/8" mounting bolts (1 3/4" bolts sold separately)	 Straps 1 3/8" mounting bolts left and right stoppers Anti-jump discs Floor guide Optional floor guides. 	1	BD400-102-SS			
Straight Strap kit with 1 3/8" mounting bolts (1 3/4" bolts sold separately)	 Straps 1 3/8" mounting bolts left and right stoppers Anti-jump discs Floor guide Optional floor guides. 	1	BD400-100-SS	· (1)		
Top Mount kit with top mount screws	 Top Mounts Mounting Screws left and right stoppers Anti-jump discs Floor guide Optional floor guides. 	1	BD400-101-SS			






SPECTRUM COPPER BARN DOOR HARDWARE KITS

1-800-493-5263





SPECTRUM COPPER BARN DOOR HARDWARE KITS



Door slab and handle not included

250 LB 113.3 KG

SPECTRUM COPPER BARN DOOR HARDWARE KITS



Gacme[®]



SPECTRUM COPPER BARN DOOR HARDWARE KITS

PARTS INCLUI	DED IN KITS	# PIECES	вох	REPLACEMENT PART #	PARTS IMAGE
78 3/4" Track	78 3/4″ Track		1	BD5000-07800-CP	• • •
			▲ Choo	se your track ▼	
96″ Track		1	1	BD5000-09600-CP	• • • • •
	ı				
Mall Connection	78 3/4"	5	1	DD750 CD	
Wall Spacer	96"	6	1	BD350-CP	
Track Mount Screws	78 3/4"	5	1	DD17C MD	19
(With anchor for Drywall)	96"	6	1	BD136-MB	19
Track Mount Bolts (With	78 3/4"	5	1	55474.45	10
carriage anchor for Concrete)	96"	6	1	BD134-MB	
Single Strap Mounting	1 3/4"	2	1	BD133-MB	1
Bolt (For Bent/Straight Strap kits)	1 3/8"	2	1	BD130-MB	% •
		1	1	BD850-CP-L	
Left and Right	End Stops	1	1	BD850-CP-R	
Anti-Jump Dis	cs	2	1	BD790	
Floor Mount G	uide	1	1	BD750	CENT.
Optional Wall Floor Surface	Mount and Guides	1 each	1	HW99161	mi II

ACCESSORIES PARTS (SOLD SEPARATELY)						
PART NAME	ACCESSORIES	UNITS	PART #	PARTS IMAGE		
Single Door Handle (6 1/2" x 1" x 1 1/2")	With Mounting Screws	1	BD450-CP			









SPECTRUM BURNISHED BRONZE BARN DOOR HARDWARE KITS



Door slab and handle not included

250 LB 113.3 KG

Gacme[®]

PARTS INCLUDED IN KITS	# PIECES	вох	REPLACEMENT PART #	PARTS IMAGE
78 3/4" Track	1	1	BD5000-07800-BB	•
		▲ Choo	se your track ▼	

▲ Choose your track ▼					
96″ Track		1	1	BD5000-09600-BB	• • •
)	78 3/4"	5	1	BD350-BB	
Wall Spacer	96"	6	1		
Track Mount Screws	78 3/4"	5	1	DD176 MD	19
(With anchor for Drywall)	96"	6	1	BD136-MB	19
Track Mount Bolts (With	78 3/4"	5	1	DD174 MD	10
carriage anchor for Concrete) 96"	96"	6	1	BD134-MB	
Single Strap Mounting	1 3/4"	2	1	BD133-MB	1
Bolt (For Bent/Straight Strap kits)	1 3/8"	2	1	BD130-MB	%
Loft and Dight	. 6. 15:1:5	1	1	BD850-BB-L	
Left and Right	eft and Right End Stops		1	BD850-BB-R	
Anti-Jump Dis	cs	2	1	BD790	.00
Floor Mount G	uide	1	1	BD750	CON 1
Optional Wall Floor Surface (Mount and Guides	1 each	1	HW99161	mi II

ACCESSORIES PARTS (SOLD SEPARATELY)					
PART NAME	ACCESSORIES	UNITS	PART #	PARTS IMAGE	
Single Door Handle (6 1/2" x 1" x 1 1/2")	With Mounting Screws	1	BD450-BB		







BIPARTING TRACK JOINER

SINGLE TRACK JOINER KIT WITH MOUNTING SCREWS




MATTE BLACK BD125-MB



STAINLESS STEEL

BD125-SS





- Designed to join two tracks for wider opening applications
- Allows two doors to travel across two tracks
- Barn Door Hardware Kits sold separately



















BYPASS BARN DOOR BRACKET KIT







BD670-07800-SS





- Allows two doors to travel independently across two tracks
- Ideal when two Biparting Tracks will not fit available space
- Barn Door Hardware Kits sold separately

DOOR SIZE	MATTE BLACK	STAINLESS STEEL
78 3/4" (2000 mm)	BD670-07800-MB (5 Hangers)	BD670-07800-SS (5 Hangers)
96" (2438 mm)	BD670-09600-MB (6 Hangers)	BD670-09600-SS (6 Hangers)











EASY CLIP™ SOFT CLOSE MATTE BLACK HARDWARE



This hardware is designed to be mounted to the back of an existing Barn Door flat track. The left and right sided hardware are each mounted at the ends of the track to provide soft close and soft open operation of the door.

- Low profile attachment is concealed behind the track and does not affect the look of your hardware
- Kit includes 2 Easy Clip Soft Close attachments for both ends of your track to open and close quietly and effortlessly
- Installs in minutes to most flat track barn door kits.
- Mounts directly to your previously installed hardware
- On 18"Biparting doors, the Easy Clip Mechanism can only be used to ether soft open or soft close

250 LB 113.3 KG



Gacme[®]

EASY CLIP™ SOFT CLOSE MATTE BLACK HARDWARE



DOOR WEIGHT			
10 - 20 KG (22 - 44 LBS)	20 - 40 KG (44 - 88 LBS)	40 - 60 KG (88 - 132 LBS)	60 - 85 KG (132 - 187 LBS)
BDF960-1020-MB	BDF960-2040-MB	BDF960-4060-MB	BDF960-6085-MB



Table of Contents







CONTINENTAL BARN DOOR COLLECTION

Ever since Renin invented the sliding mirror closet door in the 1960s, our company has been leading the way for new and innovative door designs that bridge different styles together.

Barn doors can create a unique focal point in any interior space whether they are used as a room divider, a passage or a closet door.

Renin's Continental doors are *inspired* by the *simplicity* and *functionality* of Scandinavian design.

This contemporary door design features a *frosted glass insert* which allows natural light to enter into the room.

- For use with closets, as room dividers or passage doors
- Optimal for openings 28" 34" for 36" wide doors, and 34" 40" for 42" wide doors
- Ideal for any room or opening in your home or office
- Matte Black Hardware included
- Factory finished, ready to install
- Available door sizes: 36" x 84" x 1 3/8"

42" x 84" x 1 3/8" (Sussex)

CONTIN	CONTINENTAL COLLECTION BARN DOOR KITS				
MODEL	NAME	FINISH	SIZE	DESCRIPTION	PAGE
BD054	Cristo	Iron Age		1-Lite Barn Door Kit With 78 3/4" Matte Black Bent Strap Hardware	
BD061 Hall	Bright White			re 31	
	Espresso		3-Lite Barn Door Kit With 78 3/4" Matte Black Bent Strap Hardware		
	Iron Age	36"			
BD062 Pavilion	Iron Age	36	5-Lite Barn Door Kit With 78 3/4" Matte Black Bent Strap Hardware		
	Bright White				
BD064	Dunmore	Iron Age		K-Lite Barn Door Kit With 78 3/4" Matte Black Bent Strap Hardware	
BD132	Sorrento	Black		6-Lite Barn Door Kit With 78 3/4" Matte Black Bent Strap Hardware	
BD063	Sussex	Silver Oak	42"	3-Lite Barn Door Kit With 83 7/8" Matte Black Bent Strap Hardware	33
BD130	Metal Works	Black 3		3-Metal Panel Barn Door Kit With 78 3/4" Matte Black Bent Strap Hardware	
















CONTINENTAL COMPLETE BARN DOOR KIT













CONCRETE BOLTS

BD134-MB

- Ready to install with pre-drilled mounting holes, bottom groove guide and backer board (optional)
- Trackless door design keeps floor opening clear and hazard-free
- Complete kit to create and hang a barn door
- Durable and scratch resistant smooth finish
- No priming, painting or staining required
- Ideal for openings 28" 34" wide
- Tempered Frosted Glass Finish



DRYWALL SCREWS

BD136-MB







DECOR FINISH

Gacme[®]

Iron Age



PRODUCT NUMBER

BD054W01CH1TGE36084

SURFACE

Smooth Wood Grain Look



BD061 / HALL / 3-LITE

DECOR FINISH

Bright White



BD061W01BW3TGE36084

SURFACE

Textured Wood Grain Painted Look



DECOR FINISH

Espresso



PRODUCT NUMBER

BD061W01ES3TGE36084

SURFACE

Smooth Wood Grain Look



BD061 / HALL / 3-LITE

DECOR FINISH

Iron Age



PRODUCT NUMBER

BD061W01IA3TGE36084

SURFACE

Smooth Wood Grain Look



Iron Age

DECOR FINISH



PRODUCT NUMBER

BD062W01IA5TGE36084

SURFACE

Smooth Wood Grain Look



BD062 / PAVILION / 5-LITE

DECOR FINISH

Bright White



PRODUCT NUMBER

BD062W01BW5TGE36084

SURFACE

Textured Wood Grain Painted Look











CONTINENTAL COMPLETE BARN DOOR KIT (CONTINUED)







1x

HANDLE





WALL SPACERS BD350-MB



ANTI-JUMP BLOCKS BD790



TRACK END STOPS BD850-MB-L BD850-MB-R



FLOOR GUIDE BD750



FLOOR MOUNTED GUIDE HW99161



WALL MOUNTED GUIDE HW99161



CONCRETE BOLTS BD134-MB



BD136-MB

- Ready to install with pre-drilled mounting holes, bottom groove guide and backer board (optional)
- Trackless door design keeps floor opening clear and hazard-free
- Complete kit to create and hang a barn door
- Durable and scratch resistant smooth finish
- No priming, painting or staining required

BD450-MB

Ideal for openings 28" - 34" wide (34" - 38" wide on Sussex Door)













BD064 / DUNMORE / K-LITE

DECOR FINISH

Iron Age



PRODUCT NUMBER

BD064W01IA1TGE36084

SURFACE

Smooth Wood Grain Look



BD063 / SUSSEX / 3-LITE

DECOR FINISH

Silver Oak



PRODUCT NUMBER

BD063W01SV1SVE42084

SURFACE

Textured Wood Grain Look



BD130 / METAL WORKS

DECOR FINISH

Black



PRODUCT NUMBER

BD130W01MB1TNE36084

SURFACE

Smooth Wood Grain Painted Look



Gacme

BROWNSTONE



COLLECTION







BROWNSTONE BARN DOOR COLLECTION

Subtle design features including knots and fine grain detail, Renin's Brownstone collection's authentic wood detail is an *ideal* alternative to traditional barn doors. The *easy* to maintain and *ultra* stable engineered wood core is *meticulously* wrapped with an *easy* to clean surface.

Brownstone is a modern interpretation of traditional wood barn doors.

- For use with closets, as room dividers or passage doors
- Optimal for openings 28" 34" for double 18" wide doors, 36" wide doors, and 34" - 40" for 42" wide doors
- Ideal for any room or opening in your home or office
- Matte Black Hardware included
- Factory finished, ready to install
- Available door sizes: 36" x 84" x 1 3/8"

42" x 84" x 1 3/8" (Stone Off-White)

MODEL	NAME	FINISH	SIZE	DESCRIPTION	PAGE	
BD053	Cheval	Iron Age		Z Barn Door Kit With 78 3/4" Matte Black Bent Strap Hardware		
		Cherry	36"	Devil I. V. Devil Devil Vit Wills 70.7 // Matte Die ils Devit Chiese	37	
BD060	Sagrada	Gunstock Oak		Double X Barn Door Kit With 78 3/4″ Matte Black Bent Strap Hardware		
		Sandstone	36"	K Barn Door Kit With 78 3/4" Matte Black Bent Strap Hardware		
		Silver Oak		K Barn Door Kit With 78 3/4" Matte Black Bent Strap Hardware & Soft Close		
					K Barn Door Kit With 78 3/4" Matte Black Bent Strap Hardware	
BD052	Stone	0667441.11	36"	K Barn Door Kit With 78 3/4" Matte Black Bent Strap Hardware & Soft Close	39	
	_	Off White	nite	K Barn Door Kit With 78 3/4" Matte Black Bent Strap Hardware		
				42"	K Barn Door Kit With 78 3/4" Matte Black Bent Strap Hardware & Soft Close	
		Iron Age	36"	K Barn Door Kit With 78 3/4" Matte Black Bent Strap Hardware		

acmesystemsandhardware.com





BROWNSTONE COMPLETE BARN DOOR KIT (CONTINUED)















HW99161

FLOOR GUIDE



BD134-MB



- Ready to install with pre-drilled mounting holes, bottom groove guide and backer board (optional)
- Trackless door design keeps floor opening clear and hazard-free
- Complete kit to create and hang a barn door
- Durable and scratch resistant smooth finish
- No priming, painting or staining required
- Ideal for openings 28" 34" wide
- Tempered Frosted Glass Finish













DECOR FINISH

Iron Age



PRODUCT NUMBER

BD053W01IA1IAE36084

SURFACE

Smooth Wood Grain Look



BD060 / SAGRADA / DOUBLE X

DECOR FINISH

Cherry



PRODUCT NUMBER


BD060W01CH1CHE36084

SURFACE

Smooth Wood Grain Painted Look



DECOR FINISH



PRODUCT NUMBER


BD060W01G01G0E36084

SURFACE

Textured Wood Grain Look





















FLOOR MOUNTED GUIDE

HW99161





ANTI-JUMP BLOCKS BD790



FLOOR GUIDE BD750



WALL MOUNTED GUIDE HW99161



DRYWALL SCREWS BD136-MB

- Ready to install with pre-drilled mounting holes, bottom groove guide and backer board (optional)
- Trackless door design keeps floor opening clear and hazard-free
- Complete kit to create and hang a barn door
- Durable and scratch resistant smooth finish
- No priming, painting or staining required
- Ideal for openings 28" 34" wide (34" 38" on 42" wide doors)
- **INCLUDES:** Easy Glide Soft Close Mechanism on select doors

















DECOR FINISH

Sandstone



PRODUCT NUMBER

BD052W01S01S0E36084

SURFACE

Smooth Wood Grain Painted Look



DECOR FINISH

Iron Age



PRODUCT NUMBER

BD052W01IA1IAE36084

SURFACE

Smooth Wood Grain Look



BD052 / STONE / K DESIGN

DECOR FINISH

Silver Oak



PRODUCT NUMBER

BD052C01GR1GRE36084

SURFACE

Textured Wood Grain Look



Off-White

DECOR FINISH



PRODUCT NUMBER

36" | BD052W01WT1WTE36084

42" | BD052W01WT1WTE42084

PRODUCT NUMBER

36" | BD052C01WT1WTE36084

42" | BD052C01WT1WTE42084

SURFACE

Smooth Painted Look









Gacme[®]

HERITAGE

BABRI

COLLECTION







HERITAGE BARN DOOR COLLECTION

Celebrate the character of natural wood with Renin's Heritage collection. Our Heritage collection is available in *finished and unfinished* doors that accentuates the natural variation in the wood grain, or are *hand stained* by our professional artisans creating a truly *original* one of a kind design.

The Heritage collection offers an exceptional combination of possibilities for all interiors.

- For use with closets, as room dividers or passage doors
- Ideal for any room or opening in your home or office
- Optimal for openings 28" 34" for 36" wide doors, and 34" 40" for 42" wide doors
- Matte Black Hardware included
- Pre-stained or Unfinished & Ready to Paint or Stain
- Available door sizes: 36" x 84" x 1 3/8" 42" x 84" x 1 3/8"

HERITAGE COLLECTION BARN DOORS WITH KITS						
MODEL	NAME	FINISH	SIZE	DESCRIPTION	PAGE	
BD059	Herringbone	Satin Nickel Gray Stain	36"	Herringbone Barn Door Kit With 78 3/4" Matte Black Bent Strap Hardware & Soft Close		
BD055	Authentic	Iron Age		Cross Brace Barn Door Kit With 78 3/4" Matte Black Bent Strap Hardware & Soft Close		
BD057	Salinas	Pine	36"	Z Barn Door Kit With 78 3/4" Matte Black Bent Strap Hardware		
		Salinas (Ready to Paint/	(Ready to Paint/		& Soft Close	43
BD053		Stain)		36"	Z Barn Door Kit With 78 3/4" Matte Black Bent Strap Hardware	43
BD058	Gladstone	Coffee Bean Stain		Angled Plank Barn Door Kit With 78 3/4" Matte Black Bent Strap Hardware & Soft Close		
BD052	Sierra	Pine (Ready to Paint/ Stain)	36"	K Barn Door Kit With 78 3/4" Matte Black Bent Strap Hardware		

acmesystemsandhardware.com

2x

ANTI-JUMP BLOCKS

BD790

FLOOR GUIDE

BD750



Gacme°



HERITAGE COMPLETE BARN DOOR KIT



















HW99161

- Ready to install with pre-drilled mounting holes, bottom groove guide and backer board (optional)
- Trackless door design keeps floor opening clear and hazard-free
- Complete kit to create and hang a barn door
- Durable and scratch resistant smooth finish
- No priming, painting or staining required
- Ideal for openings 28" 34" wide (34" 38" on 42" Salinas Doors)
- **INCLUDES:** Easy Glide Soft Close Mechanism on select doors





INCLUDES: Easy Glide Soft Close Mechanism



&

WIDE



DECOR FINISH

Satin Nickel Gray Stain



PRODUCT NUMBER

BD059C01NS1NSE36084

SURFACE

Stained Wood Grain



BD055 / AUTHENTIC

DECOR FINISH

Sandstone



PRODUCT NUMBER

BD055C01ST1STE36084

SURFACE

Stained Wood Grain



Pine (Ready to Paint/Stain)



PRODUCT NUMBER

36" | BD053B01PN1PNE36084

PRODUCT NUMBER

42" | BD057P01PN1PNE42084

SURFACE

Natural Wood Grain



BD058 / GLADSTONE

DECOR FINISH

Coffee Bean Stain



PRODUCT NUMBER

BD058C01GS1GSE36084

SURFACE

Stained Wood Grain



BD052 / SIERRA

DECOR FINISH

Pine (Ready to Paint/Stain)



PRODUCT NUMBER

BD052B01PN1PNE36084

SURFACE

Natural Wood Grain





BARN DOOR WITH SOFT CLOSE INSTALLATION INSTRUCTIONS



Gacme[®]

FLAIR

NEW

KIT







NEW FLAIR BARN DOOR KIT

This pine slat design barn door is ready to be painted or stained, which adds personal character and unique charm to any room. This barn door compliments any home, office or common space and includes our hardened steel arrow strap hardware kit and a matching handle in matte black finish.

FLAIR COLLECTION BARN DOOR WITH KITS					
MODEL	NAME	FINISH	SIZE	DESCRIPTION	PAGE
BD133	Flair	Pine (Ready to Paint/ Stain)	36"	Barn Door Kit With 78 3/4" Matte Black Bent Arrow Strap Hardware & Soft Close	46

acmesystemsandhardware.com











Gacme[®]

FLAIR COMPLETE BARN DOOR KIT











CONCRETE BOLTS

BD134-MB

DRYWALL SCREWS

BD136-MB

- Barn Door Kit includes: Matte Black Hardware, Track, Handle, Matching Backer Board & Barn Door
- Trackless door design keeps floor opening clear and hazard-free
- Ready-to-assemble, pre-drilled mounting holes and bottom-groove guide
- Fits openings between 28" 34" wide and opening height of 80-1/2"
- Actual Panel: 36" x 84" x 1"











DECOR FINISH

Pine (Ready to Paint/Stain)

PRODUCT NUMBER

BD133B01PN1PNE36084

SURFACE

Natural Wood Grain



Gacme

EASY-BUILD

NEW

BARN DOOR KITS







NEW EASY-BUILD BARN DOOR KIT COLLECTION

The Easy-Build Barn Door Kit has everything you need to transform a space and create an instant focal point you'll be proud to share. Pre-finished and ready to build. No priming, painting or staining required. Easy!

EASY-BUILD COMPLETE BARN DOOR KIT					
MODEL	NAME	FINISH	SIZE	DESCRIPTION	PAGE
BD069	Easy-Build - Knock-down Doors	Bright White		Build yourself a Knock-down Barn Door with Matte Black Bent Strap Hardware	50
		Iron Age			

acmesystems and hardware.com














NEW EASY-BUILD COMPLETE BARN DOOR KIT



















BD069 / EASY-BUILD

DECOR FINISH

Bright White

PRODUCT NUMBER

BD069W01BW1BWE36084

SURFACE

Textured Wood Grain Painted Look



BD069 / EASY-BUILD

DECOR FINISH

Iron Age




PRODUCT NUMBER

BD069W01IA1IAE36084

SURFACE

Smooth Wood Grain Look











- Easy to bring home compact box fits in most vehicles
- Easy to assemble only a few simple steps to build your own door
- Easy to install complete kit to transform a closet or doorway
- Easy on the wallet no labor costs, build it yourself in a snap and on a budget
- Easy on the eye the hottest home design trend everyone is talking about

Gacme

SLABS



BACKERBOARDS







BARN DOOR SLABS & BACKERBOARDS

Renin's Barn Door Slabs and Backerboards are available in *finished and unfinished* surfaces that accentuates the natural variation in the wood grain, or are *hand stained* by our professional artisans creating a truly *original* one of a kind design.

- For use with closets, as room dividers or passage doors
- Ideal for any room or opening in your home or office
- Pre-stained or Unfinished & Ready to Paint or Stain
- Available Slab sizes: 36" x 84" x 1 3/8"

Available Slab Sizes.	30 X 04 X 1 3/ 0
	42" x 84" x 1 3/8"

BARN DOOR SLABS				
NAME	SIZE	FINISH	DESCRIPTION	PAGE
Sagrada		Espresso	Double X Design	
Stone K	36" and 42"	Bright White	K Design	54
		Silver Oak	K Design	

acmesystemsandhardware.com











BARN DOOR SLABS






- Prefinished Cannot be painted or stained
- Option of pre-drilled for use with face mounted bent or straight strap hardware or non drilled for Top of Door Strap Hardware
- Pre-routed bottom groove guide
- Individually packaged for easy & protected transportation
- · Accessories sold separately

DOORS WITH PRE-DRILLED HOLES - FOR STRAIGHT AND BENT STRAP HARDWARE				
SIZES	BRIGHT WHITE	SILVER OAK		
36" x 84" x 1 3/8"	BD052W09BW1BWE36084	BD052W09GY1GYE36084		
42" x 84" x 1 3/8"	BD052W09BW1BWE42084	BD052W09GY1GYE42084		

DOORS WITHOUT PRE-DRILLED HOLES - FOR TOP OF DOOR STRAP HARDWARE				
SIZES	BRIGHT WHITE	SILVER OAK		
36" x 84" x 1 3/8"	BD052W11BW1BWE36084	BD052W11GY1GYE36084		
42" x 84" x 1 3/8"	BD052W11BW1BWE42084	BD052W11GY1GYE42084		



Barn Door Inspired by living: Let your imagination run wild with ACME Barn Doors and Hardware
Stone K Design Barn Door in Off White (BD052)





CLOSET INTRODUCTION

The roots of the ACME brand originated in the mid 1940's in California and has always been a top choice for contractors, do-it-yourselfers, door fabricators and interior designers. When it comes to quality of product and depth of product line, ACME is trusted to meet and exceed the demands of today's home design professionals.

STILE PROFILES	
DESCRIPTION	PAGE
Frame Finish Options	58
Stile Profiles	59

acmesystemsandhardware.com

FRAME FINISH OPTIONS

STEEL FRAMED FINISHES				
FINISH NAME	CODE	SWATCH		
Architectural Brown	АВ			
Arctic Silver	AS			
Bright Gold	BG			
Bright White	BW			
Matte Black	МВ			
Satin Gold	SG			
Satin Nickel	SN			

STEEL FRAMELESS FINISHES				
FINISH NAME	CODE	SWATCH		
Arctic Silver	AS			
Bright White	BW			

ALUMINUM FRAMED & FRAMELESS FINISHES				
FINISH NAME	CODE	SWATCH		
Satin Chrome	C1			
Bright Chrome	C2			

ENGINEERED WOOD FRAME VINYL	ENGINEERED WOOD FRAME VINYL/PAPER WRAPPED FINISHES							
FINISH NAME	CODE	SWATCH						
Espresso	ES							
Iron Age	IA	ACCUPATION						
Off-White	BW							
Silver Oak	SO	1118						
Pure White	PW							
Graphite Grey	GG							

STILE PROFILES

SLIMLINE BYPASS STILE							
MODEL	TYPE	THICKNESS	STILE PROFILE				
BY0100			1				
BY0105							
BY0106							
BY0107	Steel	3-4MM					
BY0108							
BY0109							

SLIMLINE BYPASS STILE								
MODEL	TYPE	TYPE THICKNESS STILE						
BY0120								
BY0220	Steel	3-4MM						

CONTEMPO	CONTEMPORARY WIDE CURVED STILE								
MODEL	TYPE	STILE PROFILE							
BY0230	Steel	3-4MM							

EDGEGUARD FRAMELESS BYPASS STILE							
MODEL	TYPE	THICKNESS	STILE PROFILE				
BY320B	Charl	7 45454					
BY320P	Steel	3-4MM					

SLIMLINE BYPASS STILE						
MODEL	TYPE	THICKNESS	STILE PROFILE			
BY0250	Aluminum	3-4MM				

SLIMLINE FRAME BIFOLD STILE							
MODEL	TYPE	THICKNESS	STILE PROFILE				
BI0221	Steel	3-4MM					

FRAMELESS BIFOLD STILE								
MODEL	TYPE THICKNESS STILE PROFILE							
BI321B	Charl	7 45454						
BI321P	Steel	3-4MM						





BYPASS

PANEL









BYPASS PANEL CLOSET DOORS / STEEL

A classic and efficient solution for closing up a closet. From trackless designs, to easy installations, creating the perfect, custom-like closing is simple.

BYPASS PANEL CLOSET DOORS						
STEEL						
MODEL	DESCRIPTION	PAGE				
BY0100	Top Roll Flush Panel Board Slimline Framed Bypass Steel Door System					
BY0106	Top Roll Prefinished Molded 6-Panel Design Slimline Framed Bypass Steel Door System	67				
BY0108	Top roll Panel Square Design Slimline Framed Bypass Steel Door System	63				
BY0109	Top roll Panel Arch Design Slimline Framed Bypass Steel Door System					



acmesystemsandhardware.com












BYPASS PANEL CLOSET DOORS / STEEL



Gacme[®]

STANDARD SIZES						
PANELS	FIN	IISHED OPE	ACTUAL PANEL	. SIZE		
QUANTITY	WIDTH HEIGHT			WIDTH	HEIGHT	
	A	47" - 48"	80 1/2" or 96"	24 3/16"		
	В	59″ - 60″		30 3/16"		
2	C	71″ - 72″		36 3/16"	77 15/16" or 93 7/16"	
	D	83" - 84"		42 3/16"]	
	E	95″ - 96″		48 3/16"		

OTHER SIZES						
PANELS	. SIZE					
QUANTITY	WIDTH		HEIGHT	WIDTH	HEIGHT	
	F	107" - 108"		36 3/16"		
3	G	119" - 120"	001/0" - 00"	40 3/16"	77 15/16" or	
	Н	143" - 144"	80 1/2" or 96"	48 3/16"	93 7/16"	
4	I	184" - 192"		48 3/16"		



AVAILABLE ON CLOSETS BELOW										
MODEL	TRACK	AVA	AVAILABLE WIDTHS							
	TYPE	A	В	C	D	E	F	G	Н	I
BY0100		•	•	•	•	•	•	•	•	•
BY0106	Tara Dall	•	•	•						
BY0108	Top Roll	•	•	•						
BY0109		•	•	•						

- Easy-Hang hardware allow doors to lift and hook onto the top roll track system for fast installation
- Easy to maintain, light-weight prefinished flat white panel boards
- Adjustable Easy-Hang hardware correct out-of-square door openings (+/- 1/4") improving installation appearance and operation
- Low profile Invisi-Track provides a hazard-free opening that allows for easy cleaning and smooth traveling doors
- Slimline steel frame with integrated handle design
- Top roll sliding system with Quick-Click Anti-Jump bottom guide Connector ensures doors do not disengage from the track
- Due to the nature of embossed panel, custom sizes are not available on BY0106, 108 and 109

Gacme

1-800-493-5263











DECOR FINISH

Bright White

80 1/2" PRODUCT NUMBERS

001	/2 TRODUCT NUMBER
A	BY0100BWWTC048080
В	BY0100BWWTC060080
C	BY0100BWWTC072080
D	BY0100BWWTC084080
E	BY0100BWWTC096080
F	BY0100BWWTC108080
G	BY0100BWWTC120080
Н	BY0100BWWTC144080
1	BY0100BWWTC192080

96" PRODUCT NUMBERS

A	BY0100BWWTC048096
В	BY0100BWWTC060096
C	BY0100BWWTC072096
D	BY0100BWWTC084096
E	BY0100BWWTC096096
F	BY0100BWWTC108096
G	BY0100BWWTC120096
Н	BY0100BWWTC144096
1	BY0100BWWTC192096

INSERT MATERIAL

Whitewood



DECOR FINISH

Bright White

80 1/2" PRODUCT NUMBERS

A	BY0106BWWTE048080
В	BY0106BWWTE060080
C	BY0106BWWTE072080

INSERT MATERIAL

Raised 6 Panel



DECOR FINISH


Bright White

80 1/2" PRODUCT NUMBERS

A	BY0108BWPRC048080
В	BY0108BWPRC060080
C	BY0108BWPRC072080

INSERT MATERIAL

2 Panel Square Top



BY0109 / PRIMED PANEL ARCH

DECOR FINISH

Bright White

80 1/2" PRODUCT NUMBERS BY0109BWPRC048080 BY0109BWPRC060080 BY0109BWPRC072080

INSERT MATERIAL

2 Panel Arched Top

Gacme[®]

BYPASS



FRAMED MIRROR









BYPASS FRAMED MIRROR CLOSET DOORS / STEEL

A classic and efficient solution for closing up a closet. From trackless designs, to easy installations, creating the perfect, custom-like closing is simple.

TOP ROLL	TOP ROLL BYPASS CLOSET DOORS		
STEEL			
MODEL	DESCRIPTION	PAGE	
BY0120	Top Roll Slimline Framed Bypass Steel Door System	67	

BOTTOM ROLL BYPASS CLOSET DOORS		
STEEL		
MODEL	DESCRIPTION	PAGE
BY0220	Bottom Roll Slimline Framed Bypass Steel Door System	69

BYPASS CLOSET DOORS		
STEEL		
MODEL	DESCRIPTION	PAGE
BY0230	Bottom Roll Wide Curved Framed Bypass Steel Door System	71

acmesystemsandhardware.com






BYPASS FRAMED MIRROR CLOSET DOORS / STEEL

1-800-493-5263



STANDARD SIZES					
PANELS	FINISHED OPENINGS ACTUAL PANEL SIZE				
QUANTITY	WIDTH		HEIGHT	WIDTH	HEIGHT
	A+		80 1/2" or 96"		77 15/16″ or
	A	47" - 48"		24 3/16"	
2	В	59″ - 60″		30 3/16″	
2	C	71″ - 72″		36 3/16″	93 7/16"
	D	83" - 84"		42 3/16″	
	E	95″ - 96″		48 3/16″	

AVAILABLE ON CLOSETS BELOW					
MODEL	TRACK		AVAILABLE	WIDTHS	
	TYPE	A+	A	В	C
BY0120	Bottom Roll	•	•	•	•



BYPASS FRAMED MIRROR CLOSET DOORS / STEEL







- Easy-Hang hardware allow doors to lift and hook onto the top roll track system for fast installation
- Easy to maintain, light-weight prefinished flat white panel boards
- Adjustable Easy-Hang hardware correct out-of-square door openings (+/- 1/4") improving installation appearance and operation
- Low profile Invisi-Track provides a hazard-free opening that allows for easy cleaning and smooth traveling doors
- Slimline steel frame with integrated handle design
- Bottom roll sliding system with Quick-Click Anti-Jump Connector that ensures doors do not disengage from the track

DECOR FINISH

Bright White



80 1	80 1/2" PRODUCT NUMBERS		
A+	BY0120BWCLC036080		
A	BY0120BWCLC048080		
В	BY0120BWCLC060080		
C	BY0120BWCLC072080		

INSERT MATERIAL

Clear Mirror

BY0120 / SLIMLINE FRAMED

DECOR FINISH

Arctic Silver



80 1,	80 1/2" PRODUCT NUMBERS		
A+	BY0120ASCLC036080		
A	BY0120ASCLC048080		
В	BY0120ASCLC060080		
C	BY0120ASCLC072080		

INSERT MATERIAL

Clear Mirror





BY0120 / SLIMLINE FRAMED

DECOR FINISH

Satin Gold



80 1/2" PRODUCT NUMBERS						
A+	BY0120SGCLC036080					
A	BY0120SGCLC048080					
В	BY0120SGCLC060080					
C	BY0120SGCLC072080					

INSERT MATERIAL

Clear Mirror

BOTTOM ROLL

BYPASS FRAMED MIRROR CLOSET DOORS / STEEL




BYPASS FRAMED MIRROR CLOSET DOORS / STEEL




STANDARD SIZES							
PANELS	FINISHED OPENINGS			ACTUAL PANEL SIZE			
QUANTITY		WIDTH	HEIGHT	WIDTH	HEIGHT		
	A	47″ - 48″	80 1/2" or 96"	24 3/16"			
	В	59" - 60"		30 3/16″			
2	C	71" - 72"		36 3/16"	77 15/16" or 93 7/16"		
	D	83" - 84"		42 3/16"			
	E	95″ - 96″		48 3/16″			


OTHER SIZES							
PANELS	FINISHED OPENINGS			ACTUAL PANEL SIZE			
QUANTITY		WIDTH	HEIGHT	WIDTH	HEIGHT		
	F	107" - 108"	80 1/2" or 96"	36 3/16″			
3	G	119" - 120"		40 3/16"	77 15/16" or		
	Н	143" - 144"		48 3/16″	93 7/16"		
4	I	184" - 192"		48 3/16″			











- Easy-Glide hardware allow doors to travel effortlessly
- Easy to maintain, Safety-Shield backed clear mirror panels
- Adjustable Quick-Click guides correct out-of-square door openings (+/- 1/4") improving installation appearance and operation
- Low profile Invisi-Track provides a hazard-free opening that allows for easy cleaning and smooth traveling doors
- Slimline steel frame with integrated handle design
- Bottom roll sliding system with Quick-Click Anti-Jump Connector that ensures doors do not disengage from the track





acmesystems and hardware.com

















BY0220 / **SLIMLINE**

DECOR FINISH

Bright White

DECOR FINISH

Arctic Silver



DECOR FINISH

Bright Gold



DECOR FINISH

Satin Gold



80 1/2" PRODUCT NUMBERS

BY0220BWCLC048080 В BY0220BWCLC060080 \mathbf{C} BY0220BWCLC072080 D BY0220BWCLC084080 Ε BY0220BWCLC096080 F BY0220BWCLC108080 G BY0220BWCLC120080 Η BY0220BWCLC144080

80 1/2" PRODUCT NUMBERS

A	BY0220ASCLC048080
В	BY0220ASCLC060080
C	BY0220ASCLC072080
D	BY0220ASCLC084080
E	BY0220ASCLC096080
F	BY0220ASCLC108080
G	BY0220ASCLC120080
Н	BY0220ASCLC144080
1	BY0220ASCLC192080

80 1/2" PRODUCT NUMBERS

A	BY0220BGCLC048080
В	BY0220BGCLC060080
C	BY0220BGCLC072080
D	BY0220BGCLC084080
E	BY0220BGCLC096080
F	BY0220BGCLC0108080
G	BY0220BGCLC120080
Н	BY0220BGCLC144080
1	BY0220BGCLC192080

80 1/2" PRODUCT NUMBERS

OU 1	1/2 PRODUCT NUMBERS
A	BY0220SGCLC048080
В	BY0220SGCLC060080
C	BY0220SGCLC072080
D	BY0220SGCLC84080
E	BY0220SGCLC096080
F	BY0220SGCLC108080
G	BY0220SGCLC120080
Н	BY0220SGCLC144080
I	BY0220SGCLC192080

96" PRODUCT NUMBERS

BY0220BWCLC192080

A	BY0220BWCLC048096
В	BY0220BWCLC060096
C	BY0220BWCLC072096
D	BY0220BWCLC084096
E	BY0220BWCLC096096
F	BY0220BWCLC108096
G	BY0220BWCLC120096
Н	BY0220BWCLC144096
1	BY0220BWCLC192096

96" PRODUCT NUMBERS

A	BY0220ASCLC048096
В	BY0220ASCLC060096
C	BY0220ASCLC072096
D	BY0220ASCLC084096
E	BY0220ASCLC096096
F	BY0220ASCLC108096
G	BY0220ASCLC120096
Н	BY0220ASCLC144096
1	BY0220ASCLC192096

96" PRODUCT NUMBERS

A	BY0220BGCLC048096
В	BY0220BGCLC060096
С	BY0220BGCLC072096
D	BY0220BGCLC084096
E	BY0220BGCLC096096
F	BY0220BGCLC0108096
G	BY0220BGCLC120096
Н	BY0220BGCLC144096
1	BY0220BGCLC192096

96" PRODUCT NUMBERS

A	BY0220SGCLC048096
В	BY0220SGCLC060096
C	BY0220SGCLC072096
D	BY0220SGCLC084096
E	BY0220SGCLC096096
F	BY0220SGCLC0108096
G	BY0220SGCLC120096
Н	BY0220SGCLC144096
T	BY0220SGCI C192096

INSERT MATERIAL

Clear Mirror

INSERT MATERIAL

Clear Mirror

INSERT MATERIAL

Clear Mirror

INSERT MATERIAL

Clear Mirror














BYPASS FRAMED MIRROR CLOSET DOORS / STEEL



STANDARD SIZES							
PANELS	FINISHED OPENINGS			ACTUAL PANEL SIZE			
QUANTITY	WIDTH		HEIGHT	WIDTH	HEIGHT		
	A	47" - 48"	80 1/2" or 96"	24 3/16"			
2	В	59" - 60"		30 3/16″			
	C	71″ - 72″		36 3/16″	77 15/16" or 93 7/16"		
	D	83" - 84"		42 3/16"]		
	E	95″ - 96″		48 3/16″			

AVAILABLE ON CLOSETS BELOW								
MODEL	TRACK TYPE	AVAILABLE WIDTHS						
		A	В	C	D	E		
BY0230	Bottom Roll	•	•	•	•	•		





BOTTOM GUIDE





- Easy-Glide hardware allow doors to travel effortlessly
- Easy to maintain, Safety-Shield backed clear mirror panels
- Adjustable Quick-Click guides correct out-of-square door openings (+/- 1/4") improving installation appearance and operation
- Low profile Invisi-Track provides a hazard-free opening that allows for easy cleaning and smooth traveling doors
- Contemporary Wide Curved Stile steel frame with integrated handle design
- Bottom roll sliding system with Quick-Click Anti-Jump Connector that ensures doors do not disengage from the track

















BY0230 / **CONTEMPORARY**

DECOR FINISH

Bright White



В

 \mathbf{C}

D

E

Arctic Silver

DECOR FINISH



80 1/2" PRODUCT NUMBERS

A	BY0230BWCLC048080
В	BY0230BWCLC060080
C	BY0230BWCLC072080
D	BY0230BWCLC084080
Е	BY0230BWCLC096080

96" PRODUCT NUMBERS

A	BY0230BWCLC048096
В	BY0230BWCLC060096
C	BY0230BWCLC072096
D	BY0230BWCLC084096
E	BY0230BWCLC096096

INSERT MATERIAL

Clear Mirror

96"]	96" PRODUCT NUMBERS					
A	BY0230ASCLC048096					
В	BY0230ASCLC060096					
C	BY0230ASCLC072096					
D	BY0230ASCLC084096					
E	BY0230ASCLC096096					

80 1/2" PRODUCT NUMBERS BY0230ASCLC048080

BY0230ASCLC060080

BY0230ASCLC072080

BY0230ASCLC084080

BY0230ASCLC096080

INSERT MATERIAL

Clear Mirror







FRAMELESS

Table of Contents









BYPASS FRAMELESS CLOSET DOORS / STEEL

A classic and efficient solution for closing up a closet. From trackless designs, to easy installations, creating the perfect, custom-like closing is simple.

BYPASS CLOSET DOORS				
STEEL				
MODEL	DESCRIPTION	PAGE		
BY320B	Bottom Roll 1/2" Beveled Edge Mirror Edgeguard Frameless Bypass Steel Door System	75		
BY320P	Bottom Roll Polished Mirror Edgeguard Frameless Bypass Steel Door System	77		

acmesystemsandhardware.com

1-800-493-5263

















BYPASS FRAMELESS CLOSET DOORS / STEEL



STANDARD SIZES					
PANELS	FIN	IISHED OPE	NINGS	ACTUAL PANEL	. SIZE
QUANTITY	WIDTH		HEIGHT	WIDTH	HEIGHT
	A	47" - 48"	80 1/2" or 96"	24 3/16"	
	В	59″ - 60″		30 3/16″	
2	C	71″ - 72″		36 3/16"	77 15/16" or 93 7/16"
	D	83" - 84"		42 3/16"	
	E	95″ - 96″		48 3/16"	

OTHER SIZES					
PANELS	PANELS FINISHED OPE		ED OPENINGS ACTUAL PANE		. SIZE
QUANTITY		WIDTH	HEIGHT	WIDTH	HEIGHT
	F	107" - 108"		36 3/16"	
3	G	119" - 120"	80 1/2" or 96"	40 3/16″	77 15/16" or
	Н	143" - 144"		48 3/16″	93 7/16"
4	I	184" - 192"		48 3/16″	











- Easy-Glide hardware allow doors to travel effortlessly
- Easy to maintain, Safety-Shield backed clear mirror panels
- Adjustable Quick-Click guides correct out-of-square door openings (+/- 1/4") improving installation appearance and operation
- Low profile Invisi-Track provides a hazard-free opening that allows for easy cleaning and smooth traveling doors
- Slimline steel frame with clear pull adhered to mirror panel
- Bottom roll sliding system with Quick-Click Anti-Jump Connector that ensures doors do not disengage from the track














EDGEGUARD DECOR FINISH

Bright White



DECOR FINISH

Satin Gold



96"	PRODUCT NUMBERS
A	BY320BBWCLC048096
В	BY320BBWCLC060096
C	BY320BBWCLC072096
D	BY320BBWCLC084096
E	BY320BBWCLC096096
F	BY320BBWCLC108096
G	BY320BBWCLC120096
Н	BY320BBWCLC144096
1	BY320BBWCLC192096

INSERT MATERIAL

Clear Mirror, Beveled Edge

80 1/2" PRODUCT NUMBERS				
A	BY320BSGCLC048080			
В	BY320BSGCLC060080			
C	BY320BSGCLC072080			
D	BY320BSGCLC084080			
E	BY320BSGCLC096080			
F	BY320BSGCLC108080			
G	BY320BSGCLC120080			
Н	BY320BSGCLC144080			
I	BY320BSGCLC192080			

96" I	PRODUCT NUMBERS
A	BY320BSGCLC048096
В	BY320BSGCLC060096
C	BY320BSGCLC072096
D	BY320BSGCLC084096
E	BY320BSGCLC096096
F	BY320BSGCLC108096
G	BY320BSGCLC120096
Н	BY320BSGCLC144096
I	BY320BSGCLC192096

INSERT MATERIAL

Clear Mirror, Beveled Edge









Gacme


BYPASS FRAMELESS CLOSET DOORS / STEEL





OTHER SIZES					
PANELS	PANELS FINISHED OPE		ED OPENINGS ACTUAL PANE		. SIZE
QUANTITY		WIDTH	HEIGHT	WIDTH	HEIGHT
	F	107" - 108"		36 3/16"	
3	G	119" - 120"	80 1/2" or 96"	40 3/16″	77 15/16" or
	Н	143" - 144"		48 3/16″	93 7/16"
4	I	184" - 192"		48 3/16″	












- Easy-Glide hardware allow doors to travel effortlessly
- Easy to maintain, Safety-Shield backed clear mirror panels
- Adjustable Quick-Click guides correct out-of-square door openings (+/- 1/4") improving installation appearance and operation
- Low profile Invisi-Track provides a hazard-free opening that allows for easy cleaning and smooth traveling doors
- Slimline steel frame with integrated handle design
- Bottom roll sliding system with Quick-Click Anti-Jump Connector that ensures doors do not disengage from the track




























DECOR FINISH

Bright White



Satin Gold



9	96" PRODUCT NUMBERS				
1	4	BY320PBWCLC048096			
]	В	BY320PBWCLC060096			
(C	BY320PBWCLC072096			
I)	BY320PBWCLC084096			
]	Е	BY320PBWCLC096096			
]	F	BY320PBWCLC108096			
(Ĵ	BY320PBWCLC120096			
I	Η	BY320PBWCLC144096			
	1	BY320PBWCLC192096			

INSERT MATERIAL

Clear Mirror, Polished Edge

80	1/2" PRODUCT NUMBERS
A	BY320PSGCLC048080
В	BY320PSGCLC060080
C	BY320PSGCLC072080
D	BY320PSGCLC084080
E	BY320PSGCLC096080
F	BY320PSGCLC0108080
G	BY320PSGCLC120080
Н	BY320PSGCLC144080
I	BY320PSGCLC0192080

96"	PRODUCT NUMBERS
A	BY320PSGCLC048096
В	BY320PSGCLC060096
C	BY320PSGCLC072096
D	BY320PSGCLC084096
E	BY320PSGCLC096096
F	BY320PSGCLC0108096
G	BY320PSGCLC120096
Н	BY320PSGCLC144096
I	BY320PSGCLC0192096

INSERT MATERIAL

Clear Mirror, Polished Edge





Gacme[®]

BYPASS



FRAMED MIRROR

Table of Contents









BYPASS FRAMED MIRROR CLOSET DOORS / ALUMINUM

A classic and efficient solution for closing up a closet. From trackless designs, to easy installations, creating the perfect, custom-like closing is simple.

BYPASS C	BYPASS CLOSET DOORS				
ALUMINU	ALUMINUM				
MODEL	DESCRIPTION	PAGE			
BY0250	Bottom Roll Slimline Framed Bypass Aluminum Door System	81			

acmesystemsandhardware.com

1-800-493-5263













BYPASS FRAMED MIRROR CLOSET DOORS / ALUMINUM



STANDARD SIZES						
PANELS	FINISHED OPENINGS			ACTUAL PANEL	. SIZE	
QUANTITY	WIDTH		HEIGHT	WIDTH	HEIGHT	
	A	47″ - 48″	80 1/2" or 96"	24 3/16"		
	В	59″ - 60″		30 3/16"		
2	C	71″ - 72″		36 3/16"	77 15/16" or 93 7/16"	
	D	83" - 84"		42 3/16"	, , , , ,	
	E	95″ - 96″		48 3/16"		

OTHER SIZES							
PANELS	FIN	IISHED OPE	NINGS	ACTUAL PANEL	. SIZE		
QUANTITY	WIDTH		HEIGHT	WIDTH	HEIGHT		
	F	107" - 108"	80 1/2" or 96"	36 3/16"			
3	G	119" - 120"		40 3/16"	77 15/16" or		
	Н	143" - 144"		48 3/16″	93 7/16"		
4	I	184" - 192"		48 3/16″			







BOTTOM GUIDE





- Easy-Glide hardware allow doors to travel effortlessly
- Easy to maintain, Safety-Shield backed clear mirror panels
- Adjustable Quick-Click guides correct out-of-square door openings (+/- 1/4") improving installation appearance and operation
- Low profile Invisi-Track provides a hazard-free opening that allows for easy cleaning and smooth traveling doors
- Slimline aluminum frame with integrated handle design
- Bottom roll sliding system with Quick-Click Anti-Jump Connector that ensures doors do not disengage from the track

BIPASS BOTTOM ROLL CLOSET DOOR INSTALLATION INSTRUCTIONS



CUSTOM SIZES AVAILABLE



SLIMLINE

DECOR FINISH

Bright White

80 1/2" PRODUCT NUMBERS

A	BY0250W1CLC048080
В	BY0250W1CLC060080
C	BY0250W1CLC072080
D	BY0250W1CLC084080
E	BY0250W1CLC096080
F	BY0250W1CLC108080
G	BY0250W1CLC120080
Н	BY0250W1CLC144080
1	BY0250W1CLC192080

INSERT MATERIAL

Clear Mirror

DECOR FINISH

Bright Chrome



80 1/2" PRODUCT NUMBERS

A	BY0250C2CLC048080
В	BY0250C2CLC060080
C	BY0250C2CLC072080
D	BY0250C2CLC084080
E	BY0250C2CLC096080
F	BY0250C2CLC108080
G	BY0250C2CLC120080
Н	BY0250C2CLC144080
T	BY0250C2CLC192080

96" PRODUCT NUMBERS

A	BY0250C2CLC048096
В	BY0250C2CLC060096
C	BY0250C2CLC072096
D	BY0250C2CLC084096
E	BY0250C2CLC096096
F	BY0250C2CLC108096
G	BY0250C2CLC120096
Н	BY0250C2CLC144096
Ι	BY0250C2CLC192096

INSERT MATERIAL

Clear Mirror



Satin Chrome

DECOR FINISH



80 1/2" PRODUCT NUMBERS

A	BY0250C1CLC048080
В	BY0250C1CLC060080
C	BY0250C1CLC072080
D	BY0250C1CLC084080
E	BY0250C1CLC096080
F	BY0250C1CLC108080
G	BY0250C1CLC120080
Н	BY0250C1CLC144080
1	BY0250C1CLC192080

96" PRODUCT NUMBERS

A	BY0250C1CLC048096
В	BY0250C1CLC060096
C	BY0250C1CLC072096
D	BY0250C1CLC084096
E	BY0250C1CLC096096
F	BY0250C1CLC108096
G	BY0250C1CLC120096
Н	BY0250C1CLC144096
I	BY0250C1CLC0192096

Clear Mirror

Gacme

BIFOLD

FRAMELESS

Table of Contents









BIFOLD FRAMELESS CLOSET DOORS / STEEL

A classic and efficient solution for closing up a closet. From trackless designs, to easy installations, creating the perfect, custom-like closing is simple.

BIFOLD CLOSET DOORS				
STEEL				
MODEL	DESCRIPTION	PAGE		
BI321P	Edgeguard Frameless Mirror Bifold Door System	85		
BI321B	Edgeguard Frameless Mirror Bifold Door System	87		

acmesystemsandhardware.com

1-800-493-5263








BIFOLD FRAMELESS CLOSET DOORS / STEEL



Gacme



STANDARD SIZES							
PANELS FINISHED OPENINGS ACTUAL PANEL SI					IEL SIZE		
QUANTITY	WIDTH		HEIGHT	WIDTH	HEIGHT		
	A	23 3/4" - 24"	80 1/2" or 96"	23 1/2"			
2	В	29 3/4" - 30"		29 1/2"	77 15/16" or 93 7/16"		
	C	35 3/4" - 36"		35 1/2"	,		

OTHER SIZES							
PANELS FINISHED OPENINGS ACTUAL PANEL SIZE					EL SIZE		
QUANTITY	WIDTH		HEIGHT	WIDTH	HEIGHT		
	D	47 3/4" - 48"		23 1/2"	77 15/16" or 93 7/16"		
4	E	59 3/4" - 60"	80 1/2" or 96"	29 1/2"			
	F	71 3/4" - 72"		35 1/2"	,,		

AVAILABLE ON CLOSETS BELOW							
MODEL	TRACK	AVAILA	BLE WII	OTHS			
	TYPE	A	В	C	D	E	F
BI321P	Dattana	•	•	•	•	•	•
BI321B	Bottom	•	•	•	•	•	•

- Easy-Roll connector results in less friction on the track for smoother travel
- Easy to maintain, framed Safety-Shield backed clear mirror panels
- Increased adjustability for out-of-square door openings improves door appearance and operation
- Low profile, direct floor-mounted and pre-drilled bottom track for quick installation and easy clean
- A metal pull attached to the stile is used to operate the door
- Edgeguard frame protects mirror from possible damage
- Offset pivot action creates an additional 4" for more complete access to your closet or space





CUSTOM SIZES AVAILABLE



BI321P / EDGEGUARD FRAMELESS STILE

DECOR FINISH

Bright White



80 1/2" PRODUCT NUMBERS

A	BI321PBWCLC024080
В	BI321PBWCLC030080
С	BI321PBWCLC036080
D	BI321PBWCLC048080
E	BI321PBWCLC060080
F	BI321PBWCI C072080

96" PRODUCT NUMBERS

A	BI321PBWCLC024096
В	BI321PBWCLC030096
C	BI321PBWCLC036096
D	BI321PBWCLC048096
E	BI321PBWCLC060096
F	BI321PBWCLC072096

INSERT MATERIAL

Clear Mirror, Beveled Edge

DECOR FINISH

Arctic Silver



80 1/2" PRODUCT NUMBERS

A	BI321PASCLC024080
В	BI321PASCLC030080
C	BI321PASCLC036080
D	BI321PASCLC048080
E	BI321PASCLC060080
F	BI321PASCI C072080

96" PRODUCT NUMBERS

A	BI321PASCLC024096
В	BI321PASCLC030096
C	BI321PASCLC036096
D	BI321PASCLC048096
E	BI321PASCLC060096
F	BI321PASCLC072096

INSERT MATERIAL

Clear Mirror, Beveled Edge





Gacme

1-800-493-5263








BIFOLD FRAMELESS CLOSET DOORS / STEEL









STANDARD SIZES						
PANELS	FIN	IISHED OPEN	INGS	ACTUAL PANEL SIZE		
QUANTITY	WIDTH		HEIGHT	WIDTH	HEIGHT	
	A	23 3/4" - 24"		23 1/2"		
2	В	29 3/4" - 30"	80 1/2" or 96"	29 1/2"	77 15/16" or 93 7/16"	
	C	35 3/4" - 36"		35 1/2″		

OTHER SIZES						
PANELS	FINISHED OPEN		INGS	ACTUAL PAN	EL SIZE	
QUANTITY	WIDTH		HEIGHT	WIDTH	HEIGHT	
	D	47 3/4" - 48"	80 1/2" or 96"	23 1/2"		
4	4 E 59 3/4" - 6	59 3/4" - 60"		29 1/2"	77 15/16" or 93 7/16"	
	F	71 3/4" - 72"		35 1/2"		

AVAILABLE ON CLOSETS BELOW								
MODEL	TRACK	AVAILABLE WIDTHS						
	TYPE	A	В	C	D	E	F	
BI321P	Dathana	•	•	•	•	•	•	
BI321B	Bottom	•	•	•	•	•	•	

- Easy-Roll connector results in less friction on the track for smoother travel
- Easy to maintain, framed Safety-Shield backed clear mirror panels
- Increased adjustability for out-of-square door openings improves door appearance and operation
- Low profile, direct floor-mounted and pre-drilled bottom track for quick installation and easy clean
- A metal pull attached to the stile of the jamb door is used to operate the door
- Edgeguard frame protects mirror from possible damage
- Offset pivot action creates an additional 4" for more complete access to your closet or space









DECOR FINISH

Bright White



80 1/2" PRODUCT NUMBERS

A	BI321BBWCLC024080
В	BI321BBWCLC030080
C	BI321BBWCLC036080
D	BI321BBWCLC048080
E	BI321BBWCLC060080
F	BI321BBWCLC072080

96" PRODUCT NUMBERS

A	BI321BBWCLC024096
В	BI321BBWCLC030096
C	BI321BBWCLC036096
D	BI321BBWCLC048096
E	BI321BBWCLC060096
F	BI321BBWCLC072096

INSERT MATERIAL

Clear Mirror, Beveled Edge

DECOR FINISH

Arctic Silver



80 1/2" PRODUCT NUMBERS

A	BI321BASCLC024080
В	BI321BASCLC030080
C	BI321BASCLC036080
D	BI321BASCLC048080
E	BI321BASCLC060080
F	BI321BASCLC072080

96" PRODUCT NUMBERS

20	THODOCT HOMBERS
A	BI321BASCLC024096
В	BI321BASCLC030096
C	BI321BASCLC036096
D	BI321BASCLC048096
E	BI321BASCLC060096
F	BI321BASCLC072096

INSERT MATERIAL

Clear Mirror, Beveled Edge





Table of Contents





EURO/URBAN COLLECTION BYPASS CLOSET DOOR SYSTEM

With its sleek and contemporary style the Renin closet door systems delivers space efficiency and improved visibility of the contents of your closet. Factory finished door kits include hardware and are ready to install.

Sometimes, what's within your closet needs a bit of covering up. What better way to do that than with a closet door to steal all of the attention?

EURO BYPASS CLOSET DOORS							
ENGINEER	ENGINEERED WOOD						
MODEL	DESCRIPTION	PAGE					
EU2010	Euro Collection 1-Lite Frosted Glass Off-White Bypass Door System	01					
EU2030	Euro Collection 3-Lite Frosted Glass Off-White Bypass Door System	91					
EU2450	Euro Collection 1-Lite Frosted Glass Iron Age Bypass Door System						
EU2460	Euro Collection 3-Lite Frosted Glass Iron Age Bypass Door System	93					
EU2470	Euro Collection 5-Lite Frosted Glass Iron Age Bypass Door System						

URBAN BYPASS CLOSET DOORS					
ENGINEERED WOOD					
MODEL	DESCRIPTION	PAGE			
EU3290	Urban Collection Trident K-Brace Silver Oak Bypass Door System				
EU3295	Urban Collection Trident K-Brace Silver Oak Bypass Door System	95			
EU3265	Urban Collection Lace Pure White Bypass Door System				

acmesystemsandhardware.com



1-800-493-5263










EURO COLLECTION BYPASS CLOSET DOOR SYSTEM



STANDARD SIZES						
PANELS	FIN	IISHED OPEN	INGS	ACTUAL PAN	EL SIZE	
QUANTITY	WIDTH		HEIGHT	WIDTH	HEIGHT	
	A	48″	81 1/8"	25″		
2	В	60″		31″	78 5/8″	
	C	72″	81	37″		

AVAILABLE ON CLOSETS BELOW					
MODEL	TRACK	AVAILABLE WIDTHS			
	TYPE	A	В	C	
EU2010		•	•	•	
EU2030	Double	•	•	•	
EU2450	J track with dial adjust	•	•	•	
EU2460	hanger hardware	•	•	•	
EU2470		•	•	•	



4MM insert Frosted glass



- Dial-Adjust hanger hardware allow doors to lift and hook onto the double J track system for fast installation
- · Prefinished doors saves time and money with no painting, staining or mess to clean up
- · High quality engineered wood construction featuring a durable scratch-resistant finish
- 1-Lite and 3-Lite 4mm tempered frosted glass provides strength, rigidity and contemporary look
- Includes matching fascia to complete the overall look of your room or space
- · Cannot be painted or stained











DECOR FINISH

Off-White



SURFACE

Smooth Painted Look Decor



Off-White

80 1/2" PRODUCT NUMBERS							
	A	EU2030BWFGE048080					
	В	EU2030BWFGE060080					
	C	EU2030BWFGE072080					

SURFACE

Smooth Painted Look Decor











Gacme



EURO COLLECTION BYPASS CLOSET DOOR SYSTEM



STANDARD SIZES						
PANELS	FIN	ACTUAL PAN	EL SIZE			
QUANTITY		WIDTH	HEIGHT	WIDTH	HEIGHT	
	A	48″	81 1/8"	25″		
2	В	60″	-	31″	78 5/8″	
	C	72″	81	37"		

AVAILABLE ON CLOSETS BELOW					
MODEL	TRACK	AVAILABLE W	AVAILABLE WIDTHS		
	TYPE	A	В	C	
EU2010		•	•	•	
EU2030	Double	•	•	•	
EU2450	J track with dial adjust	•	•	•	
EU2460	hanger hardware	•	•	•	
EU2470		•	•	•	



MDF STILE

EURO COLLECTION BYPASS CLOSET DOOR SYSTEM

4MM insert Frosted glass



- Dial-Adjust roller hardware allow doors to lift and hook onto the top roll track system for fast installation
- Prefinished Iron Age decor finish doors saves time and money with no painting, staining or mess to clean up
- High quality engineered wood construction featuring a durable scratch-resistant finish
- 1-Lite, 3-Lite, and 5-Lite 4mm tempered frosted glass provides strength, rigidity and contemporary look
- Includes matching fascia to complete the overall look of your room or space
- Cannot be painted or stained









DECOR FINISH

Iron Age



80 1	/2" PRODUCT NUMBERS	
A	EU2450IAFGE048080	

EU2450IAFGE060080 EU2450IAFGE072080 \mathbf{C}

SURFACE

Smooth Wood Grain Look Decor



EU2460 / 3-LITE **FROSTED GLASS**

DECOR FINISH

Iron Age



80 1/2" PRODUCT NUMBERS

A	EU2460IAFGE048080
В	EU2460IAFGE060080
C	EU2460IAFGE072080

SURFACE

Smooth Wood Grain Look Decor



DECOR FINISH

Iron Age



80 1/2" PRODUCT NUMBERS

A	EU2470IAFGE048080
В	EU2470IAFGE060080
C	EU2470IAFGE072080

SURFACE

Smooth Wood Grain Look Decor

BIPASS LAMINATED FRAME CLOSET DOOR INSTALLATION **INSTRUCTIONS**



EURO COLLECTION BYPASS CLOSET DOOR SYSTEM



URBAN COLLECTION BYPASS CLOSET DOOR SYSTEM



Gacme[®]

STANDARD SIZES						
PANELS	FIN	IISHED OPEN	INGS	ACTUAL PAN	EL SIZE	
QUANTITY	WIDTH		HEIGHT	WIDTH	HEIGHT	
	A	48″	81 1/8"	25″		
2	В	60″		31″	78 5/8″	
	C	72″	81	37″		

AVAILABLE ON CLOSETS BELOW						
MODEL	TRACK	TRACK AVAILABLE WID		OTHS		
	TYPE	A	В	C		
EU3290	Double	•	•	•		
EU3295	J track with dial adjust	•	•	•		
EU3265	hanger hardware	•	•	•		




MDF STILE

4MM insert Mirror on EU3265



No insert on EU3290 **BYPASS HARDWARE**

- Dial-Adjust roller hardware allow doors to lift and hook onto the top roll track system for fast installation
- Prefinished Silver Oak (EU3290) or Pure White (EU3265) decor finish doors saves time and money with no painting, staining or mess to clean up
- High quality engineered wood construction featuring a durable scratch-resistant finish
- Trackless door design provides hazard-free opening that allows for easy cleaning and smooth traveling
- Includes matching fascia to complete the overall look of your room or space
- Cannot be painted or stained

















DECOR FINISH

Silver Oak



80 1/2" PRODUCT NUMBERS			
A	EU3290SVSVE048080		
В	EU3290SVSVE060080		

EU3290SVSVE072080

SURFACE

 \mathbf{C}

Smooth Wood Grain Look Decor



DECOR FINISH

Pure White

C

SURFACE



EU3295PWPWE048080 В EU3295PWPWE060080

Smooth Wood Grain Look Decor

EU3295PWPWE072080



DECOR FINISH

Pure White

80 1/2" PRODUCT NUMBERS				
A	EU3265PWCLE048080			
В	EU3265PWCLE060080			
C	EU3265PWCLE072080			

SURFACE

Wood Texture Painted Look Decor

BIPASS LAMINATED FRAME CLOSET DOOR INSTALLATION







BIFOLD



DOORS

Table of Contents





EURO COLLECTION BIFOLD CLOSET DOOR SYSTEM

With its sleek and contemporary style the Renin closet door systems delivers space efficiency and improved visibility of the contents of your closet. Factory finished door kits include hardware and are ready to install.

Sometimes, what's within your closet needs a bit of covering up. What better way to do that than with a closet door to steal all of the attention?

BIFOLD CLOSET DOORS			
ENGINEERED WOOD			
MODEL	DESCRIPTION	PAGE	
EU3010	Euro Collection 1-Lite Frosted Glass Off-White Bifold Door System		
EU3080	Euro Collection 3-Lite Frosted Glass Off-White Bifold Door System	00	
EU3110	Euro Collection 1-Lite Frosted Glass Iron Age Bifold Door System	99	
EU3150	Euro Collection 3-Lite Frosted Glass Iron Age Bifold Door System		

acmesystemsandhardware.com

1-800-493-5263









EURO COLLECTION BIFOLD DOOR SYSTEM



STANDARD SIZES						
PANELS FINISHED OPENINGS ACTUAL PANEL SIZE						
QUANTITY	WIDTH		HEIGHT	WIDTH HEIGHT		
	A	23 3/4" - 24"		23 3/4"		
2	В	29 3/4" - 30"	80 3/4"	29 3/4"	77 15/16″	
	C	35 3/4" - 36"		35 3/4"		

AVAILABLE ON CLOSETS BELOW					
MODEL	TRACK TYPE	AVAILABLE W	/IDTHS		
		A	В	C	
EU3010	Single track mini three-wheel connector	•	•	•	
EU3080		•	•	•	
EU3110		•	•	•	
EU3150		•	•	•	



WIDI OTTLE

EURO COLLECTION BIFOLD DOOR SYSTEM

4MM insert Frosted glass



- · Sliding mini three-wheel connector results in less friction on the track for smoother travel
- Prefinished decor finish doors saves time and money with no painting, staining or mess to clean up
- · High quality engineered wood construction featuring a durable scratch-resistant finish
- 1-Lite to 3-Lite 4mm tempered frosted glass provides strength, rigidity and contemporary look
- Includes matching fascia to complete the overall look of your room or space
- Includes a round knob pull in satin nickel finish to easily open and close your doors
- · Cannot be painted or stained













DECOR FINISH

Off-White



80 1/2" PRODUCT NUMBERS			
A	EU3010BWFGE024080		
В	EU3010BWFGE030080		
С	EU3010BWEGE036080		

SURFACE

Smooth Painted Look Decor



EU3080 / 3-LITE **FROSTED GLASS**

DECOR FINISH



80 1/2" PRODUCT NUMBERS

A	EU3080BWFGE024080
В	EU3080BWFGE030080
С	EU3080BWFGE036080

SURFACE

Smooth Painted Look Decor



DECOR FINISH

Iron Age



90.1	/9" D	DUD.	тгот в	NUMB	TDC
OU I	/4 F	nob	$\mathbf{o}\mathbf{c}\mathbf{r}$	A O IMID	סתענ

A	EU3110IAFGE024080
В	EU3110IAFGE030080
C	EU3110IAFGE036080

SURFACE

Smooth Wood Grain Look Decor

NO CUSTOM SIZES Height 80 3/4"

EU3150 / 3-LITE **FROSTED GLASS**

DECOR FINISH

Iron Age



80 1/2" PRODUCT NUMBERS

A	EU3150IAFGE024080
В	EU3150IAFGE030080
C	EU3150IAFGE036080

SURFACE

Smooth Wood Grain Look Decor

BIFOLD LAMINATED FRAME CLOSET DOOR INSTALLATION **INSTRUCTIONS**



Gacme[®]

PIVOT

DOORS

Table of Contents







EURO/URBAN COLLECTION PIVOT CLOSET DOOR SYSTEM

Pivot doors are the perfect alternative to traditional door solutions. Keep your install quick and simple yet still enjoy all the benefits of full access to a closet's contents.

EURO TRACKLESS PIVOT CLOSET DOORS			
ENGINEERED WOOD			
MODEL	DESCRIPTION	PAGE	
PV5401	Euro Collection 1-Lite Frosted Glass Off-White Pivot Door System	107	
PV5402	Euro Collection 3-Lite Frosted Glass Off-White Pivot Door System	103	

URBAN TRACKLESS PIVOT CLOSET DOORS			
ENGINEERED WOOD			
MODEL	DESCRIPTION	PAGE	
PV3340	Urban Collection Provincial 8-Lite White Pivot Door System	105	
PV3330	Urban Collection Crochet Graphite Grey Pivot Door System	105	


acmesystemsandhardware.com

1-800-493-5263





EURO COLLECTION PIVOT DOOR SYSTEM



STANDARD SIZES					
PANELS	FINISHED OPENINGS ACTUAL PANEL SIZE			EL SIZE	
QUANTITY	WIDTH		HEIGHT	WIDTH	HEIGHT
	A 24"	80 1/4"	23 3/4"		
2	В	30″	80 3/4"	29 3/4"	77 3/4″
	C	36"		35 3/4"	


AVAILABLE ON CLOSETS BELOW				
MODEL	TRACK	AVAILABLE WIDTHS		
	TYPE	A	В	C
PV5401	Top Track with Pivot	•	•	•
PV5402		•	•	•



MDF STILE

EURO COLLECTION PIVOT DOOR SYSTEM

4MM insert Frosted glass



- Top and bottom pivot connectors allow doors to swing open providing more access space
- Prefinished Espresso decor finish doors saves time and money with no painting, staining or mess to clean up
- High quality engineered wood construction featuring a durable scratch-resistant finish
- 1-Lite and 3-Lite 4mm tempered frosted glass provides strength, rigidity and contemporary look
- Includes matching fascia to complete the overall look of your room or space
- Includes a set of round knob pulls in satin nickel finish to easily open and close your doors
- Cannot be painted or stained

















DECOR FINISH

Off-White



80 1/2" PRODUCT NUMBERS				
A	PV5401BWFGC024080			
В	PV5401BWFGC030080			
C	PV5401BWFGC036080			

SURFACE

Smooth Painted Look Decor



DECOR FINISH

Off-White



SURFACE

Smooth Painted Look Decor












URBAN COLLECTION PIVOT DOOR SYSTEM



STANDARD SIZES					
PANELS	FINISHED OPENINGS ACTUAL PANEL SIZE			EL SIZE	
QUANTITY	WIDTH		HEIGHT	WIDTH	HEIGHT
	A	48″	80 1/4"	23 3/4"	
2	В	60″	80 3/4"	29 3/4"	77 3/4″
	C	72″		35 3/4"	

AVAILABLE ON CLOSETS BELOW				
MODEL	TRACK	AVAILABLE WIDTHS		
	TYPE	A	В	C
PV3340	Top Track with Pivot	•	•	•
PV3330		•	•	•



4MM insert Frosted glass



- Top and bottom pivot connectors allow doors to swing open providing more access space
- Prefinished Espresso decor finish doors saves time and money with no painting, staining or mess to clean up
- High quality engineered wood construction featuring a durable scratch-resistant finish
- 1-Lite and 3-Lite 4mm tempered frosted glass provides strength, rigidity and contemporary look
- Includes matching fascia to complete the overall look of your room or space
- Includes a set of round knob pulls in satin nickel finish to easily open and close your doors
- Cannot be painted or stained















PV3340 / 8-LITE **FROSTED GLASS**

DECOR FINISH

Pure White



80 1/2" PRODUCT NUMBERS				
A	PV3340PWFGE048080			
В	PV3340PWFGE060080			
С	DV/3340DW/EGE072080			

SURFACE

Wood Texture Painted Look Decor



DECOR FINISH

Graphite Grey



80 1	80 1/2" PRODUCT NUMBERS			
A	PV3330GGFGE048080			
В	PV3330GGFGE060080			
C	PV3330GGFGE072080			

SURFACE

Smooth Wood Grain Look Decor







EXTRUDED



ALUMINUM

Table of Contents







DIVIDER DOOR SYSTEM / EXTRUDED ALUMINUM


Renin Sliding Divider doors can change the look of your home or office space because they offer more than just a means to divide a space, more then just a function; they are a feature, possessing the perfect balance of beauty and ease of use for the modern homeowner.

EURO TRACKLESS PIVOT CLOSET DOORS ENGINEERED WOOD		
7041	Top Roll Wall Mounted Sliding Mirror/Glass Insert Door	109
7035	Top Roll Room Divider Sliding Mirror/Glass Insert Doors	110
7039	Bottom Roll Room Divider Sliding Mirror/Glass Insert Doors	111

acmesystemsandhardware.com

1-800-493-5263







1-800-493-5263





1 lite clear mirror in black galvanized aluminum frame finish (7041)

SWATCH

EXTRUDED ALUMINUM

FRAME FINISHES

FINISH NAME

Clear Anodized Aluminum Black Anodized Aluminum


Brown Anodized Aluminum



GLASS FINISH OPT	TIONS
FINISH NAME	SWATCH
Clear Mirror Safety-backed / 3mm	
Bronze Mirror Safety-backed / 3mm	
Translucent White Laminated Glass _{6mm}	
Red Back Painted Glass Safety-backed / 3mm	
Smoked Mirror Safety-backed / 3mm	
Clear Laminated Glass _{6mm}	
White Back Painted Glass Safety-backed / 3mm	
Black Back Painted Glass Safety-backed / 3mm	

7035 / WALL MOUNTED / SLIDING MIRROR OR GLASS DIVIDER

- 2" x 1-3/8" Extruded Aluminum Door frame
- Top roll system •
- No bottom track
- Single or double-sided 3mm mirror glass, back-painted glass or single 6mm laminated glass inserts available
- Factory finished, ready-to-install
- Custom sizes made to order














7035 DIVIDER DOOR SYSTEM / EXTRUDED ALUMINUM



EXTRUDED ALUMINUM FRAME FINISHES		
FINISH NAME	SWATCH	
Clear Anodized Aluminum		
Black Anodized Aluminum		
Brown Anodized Aluminum		

GLASS FINISH OPT	TONS
FINISH NAME	SWATCH
Clear Mirror Safety-backed / 3mm	
Bronze Mirror Safety-backed / 3mm	
Translucent White Laminated Glass _{6mm}	
Red Back Painted Glass Safety-backed / 3mm	
Smoked Mirror Safety-backed / 3mm	
Clear Laminated Glass _{6mm}	
White Back Painted Glass Safety-backed / 3mm	
Black Back Painted Glass Safety-backed / 3mm	



7035 / WALL MOUNTED / SLIDING MIRROR OR GLASS DIVIDER

- 2" x 1-3/8" Extruded Aluminum Door frame
- Top roll system with top track
- Single or double-sided 3mm mirror glass, back-painted glass or single 6mm laminated glass inserts available
- Factory finished, ready-to-install
- ADA compliant
- · Custom sizes made to order





7039 DIVIDER DOOR SYSTEM / EXTRUDED ALUMINUM




7035 / WALL	MOUNTED	/ SLIDING MIRROR OR GLASS DIVIDER	

- 2" x 1-3/8" Extruded Aluminum Door frame
- Bottom roll system with top track
- Single or double-sided 3mm mirror glass, back-painted glass or single 6mm laminated glass inserts available
- Factory finished, ready-to-install
- ADA compliant
- Custom sizes made to order

EXTRUDED ALUM FRAME FINISHES	INUM
FINISH NAME	SWATCH
Clear Anodized Aluminum	
Black Anodized Aluminum	
Brown Anodized Aluminum	

GLASS FINISH OPT	TIONS
FINISH NAME	SWATCH
Clear Mirror Safety-backed / 3mm	
Bronze Mirror Safety-backed / 3mm	
Translucent White Laminated Glass 6mm	
Red Back Painted Glass Safety-backed / 3mm	
Smoked Mirror Safety-backed / 3mm	
Clear Laminated Glass _{6mm}	
White Back Painted Glass Safety-backed / 3mm	
Black Back Painted Glass Safety-backed / 3mm	



Gacme



INTRODUCTION

Table of Contents



CLOSET INTRODUCTION

The roots of the ACME brand originated in the mid 1940's in California and has always been a top choice for contractors, do-it-yourselfers, door fabricators and interior designers. When it comes to quality of product and depth of product line, ACME is trusted to meet and exceed the demands of today's home design professionals.

STILE PROFILES	
DESCRIPTION	PAGE
Stile Profiles	114
Frame Options	116
Interior Doors Matrix	118

acmesystemsandhardware.com


1-800-493-5263





BYPASS STILE PROFILES


Gacme




HW4101 SLIMLINE STILE
STEEL OR ALUMINUM
3-4 MM
2001
2002
2003/7003

8 MM		
2001		
2002		
2003		

12 MM	
2003	




WIDE STILE
STEEL OR ALUMINUM
3-4 MM
2020/7023




FRAMELESS STILE
STEEL
3-4 MM
2008

BIFOLD STILE PROFILES



FRAME STILE
STEEL
3-4 MM
4003



STEEL
3-4 MM
4002





FRAME FINISH OPTIONS


Gacme

STEEL FRAMED FINISHES									
FINISH NAME	CODE	SWATCH							
Architectural Brown	AB								
Arctic Silver	AS								
Bright Gold	BG								
Bright White	BW								
Matte Black	МВ								
Satin Gold	SG								
Satin Nickel	SN								

STEEL FRAMELESS FINISHES								
FINISH NAME	CODE	SWATCH						
Arctic Silver	AS							
Bright White	BW							

ALUMINUM FRAMED FINISHES								
FINISH NAME	CODE	SWATCH						
Satin Chrome	C1							
Bright Chrome	C2							







1-800-493-5263









INTERIOR DOORS MATRIX

SERIES REFERENCE NUMBER	BIFO STILE		BYPASS STILE					ROLL	ROLL FORM STEEL					
	HW4601 (Edgeguard Frameless)	HW4606 (Slimline Framed)	HW4101 (Slimline 3-4 mm)	HW4201 (Slimline 8 mm)	HW4401 (Slimline 12 mm)	HW3006 (Edgeguard Frameless 3-4 mm)	HW4107 (Contemporary Wide 3-4 mm)	ARCHITECTURAL BROWN (AB)	ARCTIC SILVER (AS)	BRIGHT WHITE (BW)	BRIGHT GOLD (BG)	MATTE BLACK (MB)	SATIN GOLD (SG)	SATIN NICKEL (SN)
ROLL FORMED STEEL BII	FOLD I	OORS												
4002 SERIES	•								•	•				
4003 SERIES		•							•	•				
ROLL FORMED STEEL / A	LUMIN	NUM B	YPASS	DOOF	RS.									
2001 SERIES (Top Roll System)			•					•	•	•	•		•	
2002 SERIES (Top Roll System)								•	•	•	•		•	
2003 / 7003 SERIES (Bottom Roll System)			•						•	•	•			•
2008 SERIES (Bottom Roll System)						•			•	•				
2020 / 7023 SERIES (Bottom Roll System)							•		•	•				•
2101 SERIES (Top Roll System)				•					•	•			•	
2102 SERIES (Top Roll System)				•					•	•			•	
2103 SERIES (Bottom Roll System)				•					•	•			•	
2303 SERIES (Bottom Roll System)					•				•	•		•	•	

Does Not apply • Available

1-800-493-5263

INTERIOR DOORS MATRIX

SERIES REFERENCE NUMBER	ROLL FORM ALUM		вура	BYPASS HARDWARE					BIFOI	_D WARE			
	SATIN CHROME (C1)	BRIGHT CHROME (C2)	HW52030 (Roller Guide)	HW52010 (Acetal Roller Guide)	HW52040 (Plastic Guide)	HW52550 (Twin Wheel Guide)	HW52370 (Brush Guide)	HW51010 (Bottom Guide)	HW51030 (Bottom Roller Guide)	HW88011 (Bagsets)	HW88015 (Bagsets)	HW88012 (Bagsets)	HW88235 (Bagsets)
ROLL FORMED STEEL BII	FOLD D	oors											
4002 SERIES													•
4003 SERIES										•	•	•	•
ROLL FORMED STEEL / A	LUMIN	UM BY	PASS [OORS							'	'	
2001 SERIES (Top Roll System)			•						•				
2002 SERIES (Top Roll System)				•				•					
2003 / 7003 SERIES (Bottom Roll System)	•	•			•	•	•		•				
2008 SERIES (Bottom Roll System)					•	•	•		•				
2020 / 7023 SERIES (Bottom Roll System)	•				•	•	•		•				
2101 SERIES (Top Roll System)			•						•				
2102 SERIES (Top Roll System)				•				•					
2103 SERIES (Bottom Roll System)					•	•	•		•				
2303 SERIES (Bottom Roll System)					•	•	•		•				

Available Does Not apply



STEEL & ALUMINUM

Table of Contents







FRAMED FABRICATOR PARTS

The roots of the ACME brand originated in the mid 1940's in California and has always been a top choice for contractors, do-it-yourselfers, door fabricators and interior designers. When it comes to quality of product and depth of product line, ACME is trusted to meet and exceed the demands of today's home design professionals.

CLOSET BIFO	CLOSET BIFOLD SERIES: FABRICATOR COMPONENTS (ROLL FORM STEEL / ALUMINUM)					
STEEL BIFOLD MATRIX						
SERIES	DESCRIPTION	PAGE				
4002	Edgeguard Frameless Bifold Closet Door	122				
4003	Slimline Framed Bifold Closet Door	123				
4002/4003	Bifold Hardware Bagsets	124				

CLOSET BYPASS SERIES: FABRICATOR COMPONENTS (ROLL FORM STEEL / ALUMINUM)					
STEEL / ALUN	IINUM BYPASS MATRIX				
SERIES	DESCRIPTION	PAGE			
2001	Top Roll & Bottom Roll 3-4 mm Slimline Frame Closet Door	126			
2002	Top Roll 3-4 mm Slimline Frame Closet Door	127			
2003/7003	Bottom Roll 3-4 mm Slimline Closet Door	128			
2008	Bottom Roll 3-4 mm Edgeguard Frameless Closet Door	129			
2020/7023	Bottom Roll 3-4 mm Contemporary Wide Frame Closet Door	130			
2101	Top Roll 8 mm Slimline Frame Closet Door	131			
2102	Top Roll 8 mm Slimline Frame Closet Door	132			
2103	Bottom Roll 8 mm Slimline Frame Closet Door	133			
2303	Bottom Roll 12 mm Slimline Frame Closet Door	134			


acmesystemsandhardware.com

1-800-493-5263






EDGEGUARD FRAMELESS BIFOLD CLOSET DOOR



Gacme



88235







BIFOLD HARDWARE BAGSETS

88011

ITEM/BAGSET #	HW88011	HW88015	HW88235-BW	HW88235-AS
Pivot Bracket	2	2	•	•
Bottom Pivot	1	1	•	•
Snugger	1	1	•	•
Roller Guide	2	2	•	•
Top / Bottom Pivot	3	3	3	3
Pivot Screw	•	1	1	1
Pivot Sleeve	•	1	1	1
Pull (White)	•	•	1	•
Pull (Arctic Silver)	•	•	•	1


88015

acmesystemsandhardware.com Gacme[®] 1-800-493-5263 Closets Inspired by living: Let your imagination run wild with ACME Closet Doors and Hardware 3 mm Clear Mirror Bright White Slimline Framed Bifold Steel Doors System - in Bright White (BI0221)






TOP ROLL & BOTTOM ROLL 3-4MM SLIMLINE FRAME CLOSET DOOR



1-800-493-5263



TOP ROLL 3-4MM SLIMLINE FRAME CLOSET DOOR




2003 / 7003 SERIES








BOTTOM ROLL 3-4MM SLIMLINE CLOSET DOOR





Gacme




HW1601 — Bottom Track















1-800-493-5263


TOP ROLL 8MM SLIMLINE FRAME CLOSET DOOR







BOTTOM ROLL 8MM SLIMLINE FRAME CLOSET DOOR










BOTTOM ROLL 12MM SLIMLINE FRAME CLOSET DOOR





Closets Inspired by living: Let your imagination run wild with ACME Closet Doors and Hardware

Aluminum Sliding Bypass Door with Mirror Insert - in Satin Chrome (BY0250)



COMPONENTS

Table of Contents





CLOSET ORGANIZER

ACME Closet Shelf Systems are designed to provide high quality alternatives to standard unfinished closet shelves. Our systems feature prefinished shelving components that are easy-to-clean.

CLOSET SYST	CLOSET SYSTEM COMPONENTS: HANGER BAR AND SHELVING					
CLOSET SYSTEM HARDWARE						
SERIES	DESCRIPTION	PAGE				
4820	5/32" (4 mm) thick Closet Shelf & Hanger Bar System	138				
	5/32" (4 mm) thick Closet Shelf System Components	139				
4070	5/8" (16 mm) thick Closet Shelf & Hanger Bar System	140				
4830	5/8" (16 mm) thick Closet Shelf System Components	141				
4820/4830	Closet System Components	142				

acmesystemsandhardware.com

1-800-493-5263

4820 CLOSET SHELF & HANGER BAR SYSTEM





$5/32^{''}$ (4 MM) THICK CLOSET SHELF & HANGER BAR SYSTEM



Bright White Arctic Silver

FEATURES

- 4820 Closet Shelving and Organizer System requires no unsightly cleats and no painting after installation.
- A wide variety of configurations can be designed from these modular components, each custommanufactured for precise fit.
- The system is designed for multiple closet and linen shelf installation in multi-family housing units and provides a higher quality than standard board shelves.

The ACME 4820 Shelf with Hanger Bar System offers a wide variety of configurations, each custom-manufactured for precise fit. A rugged vinyl cap snaps over the hanger bar sliding surface to promote easier hanger movement and excellent resistance to scratches. We recommend a center brace shelf support with hanger bar (48230) for shelving in excess of 4 ft (1.22 m) long and one for each additional 4 ft (1.22 m).

We recommend shelving that is prefinished measuring 5/32" (4 mm) thick and 12" (305 mm) or 16" (406 mm) deep assembled together with plastic moulded end brackets and prefinished roll-formed steel shelf edges. For best performance use board with both sides prefinished.


5/32" (4 mm) prefinished panel shelf board is recommended to be finished with steel shelf edge (front and back). Shelves are not included.

MATERIAL	TYPICAL SHELF DEPTH	CLOSET WIDTH
Plastic & Steel	12" (305 mm) or 16" (405 mm)	Available for any closet opening width. Support with center brace for shelving in excess of 4ft (1.22 m)



5/32" (4 MM) THICK CLOSET SHELF SYSTEM COMPONENTS

5/32" (4 MM) SHELF BRACKET WITH HANGER			
PRODUCT IMAGE	PART NUMBER	DESCRIPTION	
	HW48220-01200-BW	Plastic shelf brackets with hanger. Hanger bar inserts directly inside both left and right shelf	
	HW48220-01600-BW	supports for a clean installation. Available in both 12" (305 mm) and 16" (406 mm) depth.	
5/32" (4 MM) CENTRE E	BRACE WITH HANGER		
	HW48230-01200-BW	Shelving in excess of 4 ft (1220 mm) long must be supported with a center brace and one for each additional 4 ft (1220 mm).	
A STATE OF	HW48230-01600-BW	Easily thread the hanger bar through the center support.	
7		Available in both 12" (305 mm) and 16" (406 mm) depth.	
5/32" (4 MM) LINEN SH	ELF CENTRE BRACE WITH S	UPPORT LEG	
	HW48230-000-BW	Shelving in excess of 4 ft (1220 mm) long must be supported with a center brace and one for each additional 4 ft	
	HW48230-003-BW	(1220 mm). Available in both 12" (305 mm) and 16" (406 mm) depth.	
5/32" (4 MM) LINEN SH	5/32" (4 MM) LINEN SHELF CENTRE BRACE WITH SUPPORT LEG		
	HW48240-01200-BW	Plastic shelf brackets.	
	HW48240-01600-BW	Shelf boards slot directly inside the support for a clean installation.	







$5/8^{''}$ (16 MM) THICK CLOSET SHELF & HANGER BAR SYSTEM



Bright White

Arctic Silver

FEATURES

- The ACME 4830 Shelf System is ideal for residential housing. All fastening hardware is hidden and easily installs, requiring no painting of shelf supports.
- Available in white plastic with matching hardware, accessories and options.
- The system is designed for multiple closet and linen shelf installation in multi-family housing units and provides a higher quality than standard board shelves.


The ACME 4830 Shelf with Hanger Bar System offers a wide variety of configurations, each custom-manufactured for precise fit. A rugged vinyl cap snaps over the hanger bar sliding surface to promote easier hanger movement and excellent resistance to scratches. We recommend a center brace shelf support with hanger bar (48310) for shelving in excess of 4 ft (1.22 m) long and one for each additional 4 ft (1.22 m).


For best performance use board with both sides prefinished. We recommend a center brace shelf support (48310) for shelving in excess of 4 ft (1.22 m) long and one for each additional 4 ft (1.22 m). Shelves are not included.

MATERIAL	TYPICAL SHELF DEPTH	CLOSET WIDTH
Plastic & Steel	12" (305 mm) or 16" (405 mm)	Available for any closet opening width. Support with center brace for shelving in excess of 4 ft (1.22 m)

5/8" (16 MM) THICK CLOSET SHELF SYSTEM COMPONENTS

5/8" (16 MM) LINEN SHELF SUPPORT BRACKET & SHELF CAP				
PRODUCT IMAGE	PART NUMBER	DESCRIPTION		
	HW48380-L12-BW	The plastic hardware feature caps that cover the shelf edges		
	HW48350-L16-BW	for a clean finish.		
5/8" (16 MM) SHELF & H	5/8" (16 MM) SHELF & HANGER BAR SUPPORT & SHELF CAP			
	HW48340-H12-BW	Plastic shelf brackets with hanger bar support. Shelf boards slot directly inside the support for a clean		
	HW48330-H16-BW	installation. Hanger bar inserts directly inside both shelf supports.		









4820 & 4830 CLOSET SYSTEM COMPONENTS


SHELF EDGE 4820/4830		
PRODUCT IMAGE	PART NUMBER	DESCRIPTION
	HW4825BW01B (per Inch)	Finishes and protects the shelf board. Roll-formed steel in Bright White finish.
	HW4825BW01B14400	Front and back application. Eliminates unsightly shelf cleats and requires no painting after installation.

Plastic shelf brackets with hanger. HW48310-000-BW Plastic shelf brackets with hanger. Hanger bar inserts directly inside both left and right shelf supports for a clean installation. Available in both 12" (305 mm) and 16" (406 mm) depth.

LINEN SHELF CENTRE BRACE / LEG		
A. W	HW48320-000-BW	Shelving in excess of 4 ft (1220 mm) long must be supported with a center brace and one for each additional 4ft (1220 mm).
100		Easily thread the hanger bar through the center support.
	Available in both 12" (305 mm) and 16" (406 mm) depth.	

HANGER BAR AND SUPPORT (COMMON FOR 4820 AND 4830 SYSTEMS)			
	HW48204BW01B (per Inch)		
I	HW48204-14404-BW	Roll-formed steel hanger bars in Bright White finish.	

HANGER BAR PAD (COMMON FOR 4820 AND 4830 SYSTEMS)		
	HW48210-14400-AB	Protective caps come in Brown (shown) and Clear finish
	HW48210-14400-CL	and snap onto the hanger bar.



4820 & 4830 CLOSET SYSTEM COMPONENTS

HANGER BAR SOCKET	COVER (COMMON FOR 4820	AND 4830 SYSTEMS)
PRODUCT IMAGE	PART NUMBER	DESCRIPTION
The same	HW48300-000-BW	Covers and into confects to complete the installation
100	HW48300-000-AS	Covers snap into sockets to complete the installation.
ANCHORS (COMMON FO	OR 4820 AND 4830 SYSTEMS	5)
Anchor Bracket Drywall	HW48280	Wall Anchors to hold the shelf in place.
SHELF "L" BRACKETS (COMMON FOR 4820 AND 48	30 SYSTEMS)
	HW48290-000-BW	L brackets provide extra support along the back wall.
		Required for shelves 60" or greater.
4159	HW48290-BLK-BW	Add one bracket every 2 ft.
	HW48290-000-AL	Locate over studs for greater strength where possible or apply wall anchors (sold separately).



BIFOLD



COMPONENTS

Table of Contents





BUILDERS PANEL CLOSET BIFOLD SERIES COMPONENT HARDWARE

We find beauty in the details, specializing in supplying homeowners with the functional yet tasteful door hardware they need to adorn your door with the accessories it deserves.

As a supplier of endless door and door frame designs, it's our job to ensure every installation is a beautiful one with custom door hardware. Tailored for fabricators, do-it-yourself installation or repairs, Renin's ACME door hardware can change the appearance of your doors or refresh existing hardware that has worn out over the years.

There's nothing more satisfying than a seamless door installation process and our long history crafting hardware means we can accommodate the most unique and unusual hardware specifications, while maintaining the door's integrity and keeping the instructions simple for homeowners.

CLOSET BIFOLD SERIES COMPONENTS			
BIFOLD HARDWARE			
SERIES	DESCRIPTION	PAGE	
2400 (Steel)	3/8" Bore, 30 LB Bifold Hardware Components	146	
2900 (Steel)	7/16" Bore, 30 LB Bifold Hardware Components	148	
2600 (Aluminum)	50 LB Bifold Hardware Components	150	
2700 (Aluminum)	125 LB Bifold Hardware Components	152	


acmesystemsandhardware.com

SERIES 2400





3/8" BORE, 30 LB BIFOLD HARDWARE COMPONENTS



PANEL DIMENSIONS

To determine panel width:

Panel width = known finished opening width divided by number of panels, less 1/4"

To determine opening width:

Opening width = known finished panel width plus 1/4," multiplied by number of panels

Door Height:


= 13/4" less than finished opening height

FEATURES

- Spring loaded top pivot and roller guide for easy installation
- Permanently lubricated roller guide
- Durable pre-painted track
- All metal components galvanized against corrosion

ANSI REFERENCE:

Conforms to ANSI A156.14 type 08622













TRACK OPTIONS	
BRIGHT WHITE STEEL TRACK (BOXED)	ARCHITECTURAL BROWN STEEL TRACK (BOXED)
HW1703BW	HW1703AB
0/2/	un.

SUMMARY OF BIFOLD HARDWARE BAGSETS (ACME 2400 SERIES - 3/8" BORE)						
ITEM/BAGSET #	HW63190 1 DR	HW63130 2 DR	HW63140 2 DR	HW63460 1 DR	HW63090 4 DR	
Jamb Bracket	1	1	1	1	2	
Bottom Pivot	1	1	1	1	2	
Top Pivot Guide	1	1	1	1	2	
Top Guide Wheel	•	1	1	1	2	
Aligners	•	1	•	1	2	
Snugger	•	1 X 2DR	1 X 2DR	1 X 1 DR	1 X 4DR	
Knob	1 Plastic	1 Wood	1 Wood	1 Wood	2 Wood	
Screw Pack	Yes	Yes	Yes	Yes	Yes	
Magnetic Catch	1	•	•	•	•	

HINGES AND SCREWS				
NON-MORTICE HINGE WITH INLINE HOLES BRASS TONE	NON-MORTICE HINGE WITH OFFSET HOLES BRASS TONE	SELF DRILLING SCREWS BRASS TONE FOR 64210	FLATBACK HINGE SATIN BRASS	SELF DRILLING SCREWS BRASS TONE FOR 64230
HW64770	HW64210	HW64290	HW64230	HW64270
The Co		1111		
LUNCES AND SCREWS	(CONT)			
HINGES AND SCREWS	(CONT)			
HINGES AND SCREWS FLATBACK HINGE WITH RAISED COUNTERSINK SATIN BRASS	(CONT) NON-MORTICE HINGE ZINC	SELF DRILLING SCREWS ZINCFOR 64766 & 64250	FLATBACK HINGE ZINC	SELF DRILLING SCREWS ZINC FOR 64766 & 64250
FLATBACK HINGE WITH RAISED COUNTERSINK	NON-MORTICE			


SERIES 2900







7/16" BORE, 30 LB BIFOLD HARDWARE COMPONENTS



PANEL DIMENSIONS

To determine panel width:

Panel width = known finished opening width divided by number of panels, less 1/4"

To determine opening width:

Opening width = known finished panel width plus 1/4," multiplied by number of panels

Door Height:


= 13/4" less than finished opening height

FEATURES

- Spring loaded top pivot and roller guide for easy installation
- Permanently lubricated roller guide
- Durable pre-painted track
- All metal components galvanized against corrosion

ANSI REFERENCE:

Conforms to ANSI A156.14 type 08622




BIFOLD

0

30 LB 13.6 KG








olo F	7		DAI.	
7/16" BORE, 30 LB BI	FOLD HARDWARE BAC	SSETS		
SUMMARY OF BIFOLD H	ARDWARE BAGSETS			
ITEM/BAGSET #	HW63040 2 DR	HW63050 2 DR	HW63070 2 DR	HW63030 2 DR
Jamb Bracket	1	1	1	1
Bottom Pivot	1	1	1	1
Top Pivot Guide	2	2	2	1
Top Guide Wheel	•	•	•	1
Aligners	1	1	1	1
Snugger	•	•	•	2
Slide Guide	1	1	1	•
Knob	1 Plastic	1 Plastic	1 Wood	1 Wood
Screw Pack	Yes	Yes	Yes	Yes
		Self of the self o		
HINGES AND SCREWS				
NON-MORTICE HINGE WITH INLINE HOLES BRASS TONE	NON-MORTICE HINGE WITH OFFSET HOLES BRASS TONE	SELF DRILLING SCREWS BRASS TONE FOR 64210	FLATBACK HINGE SATIN BRASS	SELF DRILLING SCREWS BRASS TONE FOR 64230
HW64770	HW64210	HW64290	HW64230	HW64270
Charles and the		1111		
HINGES AND SCREWS (CONT)			
FLATBACK HINGE WITH RAISED COUNTERSINK SATIN BRASS	NON-MORTICE HINGE ZINC	SELF DRILLING SCREWS ZINCFOR 64766 & 64250	FLATBACK HINGE ZINC	SELF DRILLING SCREWS ZINC FOR 64766 & 64250
HW64240	HW64766	HW64295	HW64250	HW64275
	A			

HINGES AND SCREWS (C	CONT)			
FLATBACK HINGE WITH RAISED COUNTERSINK SATIN BRASS	NON-MORTICE HINGE ZINC	SELF DRILLING SCREWS ZINCFOR 64766 & 64250	FLATBACK HINGE ZINC	SELF DRILLING SCREWS ZINC FOR 64766 & 64250
HW64240	HW64766	HW64295	HW64250	HW64275
	THE T	1111	TH	Come Come Come Come





50 LB BIFOLD HARDWARE COMPONENTS



PANEL DIMENSIONS

To determine panel width:

Panel width = known finished opening width divided by number of panels, less 1/4"

To determine opening width:

Opening width = known finished panel width plus 1/4," multiplied by number of panels

Door Height:

= 2 3/8" less than finished opening height **Note:** For multi-panel sizing info, contact Customer Service

FEATURES

- For use in high frequency installations such as in hotel/ motel, hospitals and schools
- Extruded aluminum track
- Permanently lubricated
 2-wheel roller carriage
- Spring loaded top pivot for easy installation
- All metal components galvanized against corrosion
- Quick, easy adjustments after installation
- Smooth, quiet operation

ANSI REFERENCE:

50 lb. hardware conforms to ANSI A156.14 type 08621, 08642, 08652, 08661

TRACK OPTIONS		
ALUMINUM TRACK	FLOOR TRACK GUIDE	HANGER
HW28100	HW64370	HW64340
	Option	



SERIES 2600

50 LB

Gacme[®]


50 LB BIFOLD HARDWARE BAGSETS

SUMMARY OF BIFOLD HARDWARE BAGSETS

ITEM/BAGSET #	HW63450 2 DR
Jamb Bracket	1
Bottom Pivot	1
Top Pivot Guide	1
Aligners	1
Snugger	1
Screw Pack	Yes
Adjusting Wrench	Yes



BIFOLD




SERIES 2700





125 LB BIFOLD HARDWARE COMPONENTS



PANEL DIMENSIONS

To determine panel width:

Panel width = known finished opening width divided by number of panels, less 1/4"

To determine opening width:

Opening width = known finished panel width plus 1/4," multiplied by number of panels

Door Height:

= 2.7/8" less than finished opening height

Note: For multi-panel sizing info, contact Renin Customer Service

FFATURES

- For use in high frequency installations such as in hotel/ motel, hospitals and schools.
- Large ball bearing wheels provide smooth action
- Easy-to-install snap-in feature makes hangers a "snap" to install
- Durable V-groove aluminum track provides smooth, quiet operation
- All metal components zinc plate to guard against corrosion
- Heavy duty pivot set designed for durability and aesthetics

ANSI REFERENCE:

125 lb. hardware conforms to ANSI A156.14 type 08621, 08641, 08651, 08661

TRACK OPTIONS			
ALUMINUM TOP TRACK	FLOOR TRACK GUIDE	GUIDE ROLLER	ADJUSTING WRENCH
HW28064	HW64370	HW64360	HW99360
	Option	To.	A




125 LB BIFOLD HARDWARE BAGSETS

SUMMARY OF BIFOLD HARDWARE BAGSETS

ITEM/BAGSET #	HW63530 2 DR
Jamb Bracket	1
Bottom Pivot	1
Top Pivot Guide	1
Aligners	1
Snugger	1
Screw Pack	Yes
Adjusting Wrench	Yes



BIFOLD





Gacme[®]

BYPASS

COMPONENTS

Table of Contents





BUILDERS PANEL CLOSET BYPASS SERIES COMPONENT HARDWARE

We find beauty in the details, specializing in supplying homeowners with the functional yet tasteful door hardware they need to adorn your door with the accessories it deserves.

As a supplier of endless door and door frame designs, it's our job to ensure every installation is a beautiful one with custom door hardware. Tailored for fabricators, do-it-yourself installation or repairs, Renin's ACME door hardware can change the appearance of your doors or refresh existing hardware that has worn out over the years.

There's nothing more satisfying than a seamless door installation process and our long history crafting hardware means we can accommodate the most unique and unusual hardware specifications, while maintaining the door's integrity and keeping the instructions simple for homeowners.

CLOSET BYPASS SERIES COMPONENTS			
BYPASS HARDWARE			
SERIES	DESCRIPTION	PAGE	
60 LB	Bypass Hardware Components (8600, 8400, 8900, 8937)	156	
60 LB	Bypass Hardware Components (With Dial Adjust - 8600, 8400, 8900, 8937)	157	
60 LB	Bypass Hardware Components	158	
60 LB	Bypass Hardware Bagsets	159	
150 & 250 LB	Bypass Hardware Components	160	


acmesystemsandhardware.com







60 LB BYPASS HARDWARE COMPONENTS



PANEL DIMENSIONS

To determine panel width:

Panel width = known finished opening width plus 1" per overlap, divided by number of panels

To determine opening width:

Opening width = known finished panel width multiplied by number of panels, less 1" per overlap

Door Height:


= 13/4" less than finished opening height

FEATURES


- · Slotted hangers easy to adjust
- Slotted hangers easy to adjust
- Self-aligning wheel system
- Permanently lubricated thermoplastic wheel
- Vertical adjustments can be made after installation
- Hanger system allows for easy panel removal
- V-groove galvanized steel or aluminum track provides smooth, quiet operation
- All metal components galvanized against corrosion

ANSI REFERENCE:


60 lb. hardware conforms to ANSI A156.14 type 08742




21114-AL (Narrow) ALUMINUM 40054-GL (Narrow) STEEL* 21030-BW (Narrow) STEEL**



Aluminum Fascia Track (Wide) PN 84004-A2








Hacme[®]

60 LB BYPASS HARDWARE COMPONENTS (WITH DIAL ADJUST)



To determine panel width:

Panel width = known finished opening width plus 1" per overlap, divided by number of panels

To determine opening width:

Opening width = known finished panel width multiplied by number of panels, less 1" per overlap

Door Height:

= 15/8" less than finished opening height

- Patented dial hangers provide for door adjustment with- out use of tools
- Self-aligning wheel system
- Permanently lubricated thermoplastic wheels
- Supports panels weighing from 30 to 60 pounds
- Vertical adjustments can be made after installation
- Hanger system allows for easy panel removal
- V-groove galvanized steel or aluminum track provides smooth, quiet operation

1 ¹/₄" min. (3,18 cm)


1 9/16" max.

60 lb. hardware conforms to ANSI A156.14 type 08742





1 1/16 (2,70 cm)



Aluminum Fascia Track (Wide) PN 84004-A2



Б



SERIES 8600/8400/8900/8937

09





HANGER OPTIONS				
SINGLE WHEEL HANGER (USE WITH TRACKS HW86034, HW21114, HW21030 AND HW40054)	SINGLE WHEEL HANGER (USE WITH TRACKS HW4005 AND HW21114)	TWIN WHEEL HANGER (USE WITH TRACKS HW86034, HW21114, HW40054 AND HW21030)	DIAL ADJUST HANGER (USE WITH TRACKS HW86034, HW21114, HW40054 AND HW21030)	DIAL ADJUST HANGER (USE WITH TRACKS HW40054, HW21030 AND HW21114)
HW64400	HW64380	HW64430	HW64440	HW64450
1/2" offset	1/4" offset	1/2" offset	7/16" offset	1/8" offset

SERIES 8600/8400/8	SERIES 8600/8400/8937 HARDWARE COMPONENTS				
PULL OPTIONS					
ROUND PULL (BRIGHT BRASS)	ROUND PULL (BRUSHED NICKEL)	ROUND PULL (IVORY)	ROUND PULL (ANTIQUE BRASS)	ROUND PULL (SATIN NICKEL)	
HW64480	HW64485	HW64510	HW64500	HW64495	
3/4"	3/4"	13/4"	2 1/8"	2 1/8"	

GUIDE OPTIONS			OTHER OPTIONS		
ADJUSTABLE FLOOR GUIDE (5/8 IN HEIGHT)	FLOOR GUIDE (1 1/8 IN HEIGHT)	FLOOR GUIDES	CENTER STOP	CARPET RISER	ANGLE STOP
HW64560	HW64530	HW64540	HW64470	HW64550	HW64460
	-	IN B			OF STATE OF

60 LB





1-800-493-5263

60 LB BYPASS HARDWARE BAGSETS

BAGSET OPTIONS

ITEM/BAGSET	# HW63340	HW63240	HW64445M	HW64455	HW63265
Dial Adjust	•	•	•	•	•
Single Whee	el 4 x (1/2")	(2 x 1/4 & 2 x 1/2")	4 x (1/4")	(2 x 1/4 & 2 x 1/2")	4 x (1/4 & 1/2")
Twin Whee	•	•	•	•	•
Adjustable Floor Guide	1	1	•	•	1
Round Pull	2 x Ivory	2 x Ivory (1 3/4")	•	•	2 x Nickel
Screw Pack	Yes	Yes	Yes	Yes	Yes
Bagset	SEE SE		E RESERVE	E ROLL OF THE PARTY OF THE PART	

П	TEM/BAGSET#	HW63260	HW63365	HW63375	HW63320	HW63330
<u></u>	Dial Adjust	•	•	•	4 x (7/16 & 1/8")	•
Hanger	Single Wheel	(2 x 1/4 & 2 x 1/2")	4 x (1/2")	4 x (1/2")	•	•
_	Twin Wheel	•	•	•	•	4 x (1/2")
	djustable loor Guide	1	1	•	•	1
R	ound Pull	•	2 x Nickel (2 1/8")	2 x Nickel (2 1/8")	2 x Brass (2 1/8")	2 x Ivory (1 3/4")
S	crew Pack	Yes	Yes	Yes	Yes	Yes
В	agset	The season	0088	0088		Series I

60 LB BYPASS HARDWARE BAGSETS

SUMMARY OF BYPASS HARDWARE BAGSETS (ACME 2600/8900 SERIES)

SOTH MICH OF BIT MOSTIMINE BASS	CONTINUE OF BITTAGE WARE BASSETS (ASTE 2000) 0000 SERIES			
8600				
BP119K-04800-GL	8900 BP120K-04800-AL	8900 BP121K-04800-GL		
BP119K-06000-GL	8900 BP120K-06000-AL	8900 BP121K-06000-GL		
BP119K-07200-GL	8900 BP120K-07200-AL			
ВР119К-09700-GL				

Hacme[®]














150 & 250 LB BYPASS HARDWARE COMPONENTS



13/4" Door 13/8" Door 3 5/16 (10 cm) 3 5/8" (9,21 cm 1 3/4" min. (4,45 cm min.) 23/8" max.

To determine panel width:

Panel width = known finished opening width plus 1" per overlap, divided by number of panels

To determine opening width:

Opening width = known finished panel width multiplied by number of panels, less 1" per overlap


Door Height:

= 25/8" less than finished opening height note: For multi-panel sizing info, contact Renin Customer Service

- Four 1" wheels provide smooth rolling action
- Easy-to-install snap-in feature makes hangers a "snap" to install
- Vertical adjustments can be made after installation
- Supports panels weighing up to 150 lbs / 250 lbs
- Durable V-groove aluminum track provides smooth, quiet operation
- Track spacer allows for easy installation of bypass and tripass doors

150 lb. hardware conforms to ANSI A156.14 type 08731

250 lb. hardware conforms to ANSI A156.14 type 08731



Track #28064-AL

BYPASS







Gacme[®]



150 & 250 LB HARDWARE BAGSETS AND TRACKS			
150 LB & 250 LB BAGSETS	150 LB & 250 LB BYPASS	SERIES 2600 150 LB BAGSETS	
HANGER SET	STEEL TRACK (BRIGHT WHITE)	TRACK AND HARDWARE	
HW63500	HW2803-BW	BP104K-AL	

Gacme

POCKET



COMPONENTS

Table of Contents



BUILDERS PANEL CLOSET POCKET SERIES COMPONENT HARDWARE

We find beauty in the details, specializing in supplying homeowners with the functional yet tasteful door hardware they need to adorn your door with the accessories it deserves.

As a supplier of endless door and door frame designs, it's our job to ensure every installation is a beautiful one with custom door hardware. Tailored for fabricators, do-it-yourself installation or repairs, Renin's ACME door hardware can change the appearance of your doors or refresh existing hardware that has worn out over the years.

There's nothing more satisfying than a seamless door installation process and our long history crafting hardware means we can accommodate the most unique and unusual hardware specifications, while maintaining the door's integrity and keeping the instructions simple for homeowners.

CLOSET / ROOM DIVIDER SERIES COMPONENTS	
POCKET DOOR HARDWARE	
DESCRIPTION	PAGE
150 LB Pocket Door Hardware Components	164
125 / 200 LB Pocket Door Hardware Components	16.6
125 / 200 LB Pocket Door Hardware Components	166
125 / 200 LB Pocket Door Hardware Component Bagsets	167
Pocket Door Hardware 3 Wheel Soft Close Kit	168
Pocket Door Hardware 4 Wheel Soft Close Kit	169


acmesystemsandhardware.com







150 LB POCKET DOOR HARDWARE COMPONENTS





FEATURED AND OPTIONAL PARTS			
STEEL TRACK	3-WHEEL BALL BEARING HANGER SET	DOOR GUIDE	DOOR GUIDE
HW2803BW	HW63400	HW64620	HW64630









POCKET DOOR HARDWARE COMPONENTS

Gacme[®]

125 LB / 200 LB POCKET D	125 LB / 200 LB POCKET DOOR HARDWARE COMPONENTS				
SUMMARY OF POCKET DOOR	HARDWARE COMPONENT				
ALUMINUM TRACK	JAMB STIFFENER - UNPUNCHED (ALSO AVAILABLE IN SATIN GOLD)	3-WHEEL HANGER SET	3-WHEEL BALL BEARING HANGER SET		
HW10004	HW6575BW	HW3WPDSET125	HW3WPDSET200		
		TITTE OF	TITLE OF		

BOTTOM GUIDES (PD150 / PD250)	BUMPER STOP (PD150 / PD250)	CENTER STOP	ADJUSTING WRENCH
HW64660	HW64650	HW64600	HW99360
		Meg II	A

1 3/4 IN DOOR ADAPTER KIT	CONVERGING KIT
PD134KIT	88395
	TO IEI

POCKET DOOR INSTALLATION INSTRUCTIONS

200 LB 90.7 KG

125 LB 56.6 KG







POCKET DOOR HARDWARE COMPONENT KITS

SUMMARY OF POO	SUMMARY OF POCKET DOOR HARDWARE KNOCK DOWN KITS			
125 LB FRAME KITS				
ITEM#	PD3068KDBB	PD3070KDBB	PD3080KDBB	PD4080KDBB
Available Sizes:	36" x 80" (914 mm x 2045 mm)	36" x 84" (914 mm x 2133 mm)	36" x 96" (914 mm x 2438 mm)	48" x 96" (1219 mm x 2438 mm)

POCKET

SUMMARY OF POCKET DOOR HARDWARE KNOCK DOWN KITS				
200 LB FRAME KITS	B FRAME KITS			
ITEM#	PD2X6KD3068	PD2X6KD3070	PD2X6KD3080	PD2X6KD4080
Available Sizes:	36" x 80" (914 mm x 2045 mm)	36" x 84" (914 mm x 2133 mm)	36" x 96" (914 mm x 2438 mm)	48" x 96" (1219 mm x 2438 mm)



Hacme[®]







3-WHEEL SOFT CLOSE POCKET DOOR HARDWARE KIT



FLAT 3 WHEEL SYSTEM SOFT CLOSE ASSEMBLY	
WEIGHT	PART #
22-44 lbs	HWSCF6340-
(10-20 kg)	3WBB1020
44-88 lbs	HWSCF6340-
(20-40 kg)	3WBB2040
88-132 lbs	HWSCF6340-
(40-60 kg)	3WBB4060
132-187 lbs	HWSCF6340-
(60-85 kg)	3WBB6085

Designed to install quickly and discreetly onto most existing flat wheel tracks to ensure a smooth and gentle close action.

3-WHEEL SOFT CLOSE KIT

- Ideal for sliding, bypass, bi-part and pocket door applications
- High quality acetate ball bearing, flat 3-wheel trolley and hanger system
- Add as part of your existing application or new build solution
- Kit includes the soft close mechanism, the soft close trigger/actuator arm, trolley, door hanger plate with steel catch, trolley and door hanger plate with steel catch

- Add soft close functionality to sliding door applications
- Soft close smoothly causes the door to brake and then the mechanism pulls the door into its final closed position
- Soft close minimizes door rattle and slam
- Soft close prevents possible door, jamb and wall damage when the door is slammed closed
- Soft close keeps the door closed and prevents the doors from moving due to any track slope







4-WHEEL SOFT CLOSE POCKET DOOR HARDWARE KIT



POCKET DOOR INSTALLATION INSTRUCTIONS VIDEO	of Bed India.

- Add soft close functionality to sliding door applications
- Soft close smoothly causes the door to brake and then the mechanism pulls the door into its final closed position
- Soft close minimizes door rattle and slam
- Soft close prevents possible door, jamb and wall damage when the door is slammed closed
- Soft close keeps the door closed and prevents the doors from moving due to any track slope

ASSEMBLY WEIGHT PART# 22-44 lbs HWSCF6420-(10-20 kg) 4WBB1020 44-88 lbs HWSCF6420-(20-40 kg) 4WBB2040 HWSCF6420-88-132 lbs (40-60 kg) 4WBB4060

4 WHEEL SYSTEM SOFT CLOSE

Designed to install quickly and discreetly onto most existing flat wheel tracks to ensure a smooth and gentle close action.

4-WHEEL SOFT CLOSE KIT

HWSCF6420-

4WBB6085

132-187 lbs

(60-85 kg)

- Ideal for sliding, bypass, bi-part and pocket door applications
- · High quality acetate ball bearing 4-wheel trolley and hanger system
- Add as part of your existing application or new build solution
- · Kit includes the soft close mechanism, the soft close trigger/actuator arm, trolley, door hanger plate with steel catch, trolley and door hanger plate with steel catch

Gacme[®]

WALL DECOR MIRRORS



LED BACK-LIT

Table of Contents





WALL DECOR MIRRORS LED BACK-LIT

Redefine reflection and illumination with Renin's backlit mirrors. Both elegant and efficient - an illuminated mirror will instantly add form and function to any space.

Whether you want to expand a small bathroom with a large wall mirror or spend glam time getting ready in front of one of our mirrors, browse our selection and you'll quickly discover why it's so easy to see yourself with a Renin mirror.

MIRRORS				
LED BACK-LI	т			
MODEL	NAME	DESCRIPTION	PAGE	
200169	Capri	Inset 2-strip back-lit rectangular mirror	172	
200170	Portofino	Inset frame back-lit rectangular mirror	173	
200097	Modena	Inset frame back-lit rectangular mirror on mirror design	174	
200155	Florence	Inset frame back-lit oval mirror	175	
200145	Vienna	Inset frame back-lit rectangular mirror	176	
200146	Bolero	Inset frame back-lit rectangular mirror	177	
200158	Landscape	Edge frame back-lit rectangular mirror	178	
200156	Melody	Edge frame back-lit rectangular mirror with Bluetooth®	180	
200157	Symphony	Edge strip back-lit rectangular mirror with Bluetooth®	181	
200172-NL	Cassini	Led illuminated medicine cabinet mirror	182	
200171-NL	Antica	Led illuminated medicine cabinet mirror	183	















FRAME TYPE

LED Illuminated Mirror

FRAME SIZE	
INCHES	CENTIMETERS
24" x 32"	60.96 cm x 81.28 cm

FEATURES

- On/off sensor touch light with dimmer control
- Great for use in bathrooms, bedrooms and common areas
- Illuminated mirror provides balanced lighting
- Mounting hardware included
- 5 year warranty
- Hardware installation required

Overhead lighting casts deep shadows making it ineffective for shaving or applying makeup. Illuminated mirror emits light at eye level. It is an even amount of light which highlights all areas of your face and it also provides great task lighting.

Smart Solution: LED lights uses at least 75% less energy compared to incandescent lighting and lasts 25 times longer than incandescent lighting. If used for 12 hrs a day LED lights would last for more than 12 yrs. That's smart long-term energy savings and significant replacement cost savings.

CAPRI 200169

LED illuminated frameless mirrors make any space feel modern, light and bright. A well-placed mirror makes the most of a room's natural light, enhances views and can visually open up spaces to create new height and depth. Renin Backlit Mirror includes a fully enclosed powder coated slim design metal cabinet with a silicone gasket around the perimeter. LED lights are wrapped in a silicone gasket which protects against moisture related issues. Silicone does not discolor, haze or break down over time. LED strip is firmly secured inside a metal channel that keeps the LED strip in place which does not create shadow lines through the mirror face. Mounting hardware including screws, anchors, and bubble level.

HOURS USAGE	LUMENS	DAYLIGHT COLOR TEMPERATURE	USES LESS ENERGY
50,000	1,884	6,000 Kelvin	75%





PORTOFINO



FRAME TYPE
LED Illuminated Mirror

FRAME SIZE	
INCHES	CENTIMETERS
24" x 32"	60.96 cm x 81.28 cm

FEATURES

- On/off sensor touch light with dimmer control
- Great for use in bathrooms, bedrooms and common areas
- Illuminated mirror provides balanced lighting
- Mounting hardware included
- 5 year warranty
- Hardware installation required

Overhead lighting casts deep shadows making it ineffective for shaving or applying makeup. Illuminated mirror emits light at eye level. It is an even amount of light which highlights all areas of your face and it also provides great task lighting.

Smart Solution: LED lights uses at least 75% less energy compared to incandescent lighting and lasts 25 times longer than incandescent lighting. If used for 12 hrs a day LED lights would last for more than 12 yrs. That's smart long-term energy savings and significant replacement cost savings.

PORTOFINO 200170

LED illuminated frameless mirrors make any space feel modern, light and bright. A well-placed mirror makes the most of a room's natural light, enhances views and can visually open up spaces to create new height and depth. Renin Backlit Mirror includes a fully enclosed powder coated slim design metal cabinet with a silicone gasket around the perimeter. LED lights are wrapped in a silicone gasket which protects against moisture related issues. Silicone does not discolor, haze or break down over time. LED strip is firmly secured inside a metal channel that keeps the LED strip in place which does not create shadow lines through the mirror face. Mounting hardware including screws, anchors, and bubble level.

HOURS USAGE	LUMENS	DAYLIGHT COLOR TEMPERATURE	USES LESS ENERGY
50,000	2,640	6,000 Kelvin	75%







MODENA



FRAME TYPE
LED Illuminated Mirror

FRAME SIZE	
INCHES	CENTIMETERS
24" x 32"	60.96 cm x 81.28 cm

FEATURES

- On/off sensor touch light with dimmer control
- Great for use in bathrooms, bedrooms and common areas
- Illuminated mirror provides balanced lighting
- · Mounting hardware included
- 5 year warranty
- Hardware installation required

Overhead lighting casts deep shadows making it ineffective for shaving or applying makeup. Illuminated mirror emits light at eye level. It is an even amount of light which highlights all areas of your face and it also provides great task lighting.

Smart Solution: LED lights uses at least 75% less energy compared to incandescent lighting and lasts 25 times longer than incandescent lighting. If used for 12 hrs a day LED lights would last for more than 12 yrs. That's smart long-term energy savings and significant replacement cost savings.


MODENA 200097

LED illuminated frameless mirrors make any space feel modern, light and bright. A well-placed mirror makes the most of a room's natural light, enhances views and can visually open up spaces to create new height and depth. Renin Backlit Mirror includes a fully enclosed powder coated slim design metal cabinet with a silicone gasket around the perimeter. LED lights are wrapped in a silicone gasket which protects against moisture related issues. Silicone does not discolor, haze or break down over time. LED strip is firmly secured inside a metal channel that keeps the LED strip in place which does not create shadow lines through the mirror face. Mounting hardware including screws, anchors, and bubble level.

HOURS USAGE	LUMENS	DAYLIGHT COLOR TEMPERATURE	USES LESS ENERGY
50,000	2,640	6,000 Kelvin	75%











ы	D.	Δ	м	F	T	٧	D	F

LED Illuminated Mirror

FRAME SIZE	
INCHES	CENTIMETERS
21" x 31"	53.34 cm x 78.74 cm

FEATURES

- On/off sensor touch light with dimmer control
- Great for use in bathrooms, bedrooms and common areas
- Illuminated mirror provides balanced lighting
- Mounting hardware included
- 5 year warranty
- Hardware installation required

Overhead lighting casts deep shadows making it ineffective for shaving or applying makeup. Illuminated mirror emits light at eye level. It is an even amount of light which highlights all areas of your face and it also provides great task lighting.

Smart Solution: LED lights uses at least 75% less energy compared to incandescent lighting and lasts 25 times longer than incandescent lighting. If used for 12 hrs a day LED lights would last for more than 12 yrs. That's smart long-term energy savings and significant replacement cost savings.

FLORENCE 200155

LED illuminated frameless mirrors make any space feel modern, light and bright. A well-placed mirror makes the most of a room's natural light, enhances views and can visually open up spaces to create new height and depth. Renin Backlit Mirror includes a fully enclosed powder coated slim design metal cabinet with a silicone gasket around the perimeter. LED lights are wrapped in a silicone gasket which protects against moisture related issues. Silicone does not discolor, haze or break down over time. LED strip is firmly secured inside a metal channel that keeps the LED strip in place which does not create shadow lines through the mirror face. Mounting hardware including screws, anchors, and bubble level.

ŀ	HOURS USAGE	LUMENS	DAYLIGHT COLOR TEMPERATURE	USES LESS ENERGY
5	50,000	1,941	6,000 Kelvin	75%







VIENNA



FRAME TYPE
LED Illuminated Mirror

FRAME SIZE	
INCHES	CENTIMETERS
30" x 42"	76.2 cm x 106.68 cm

FEATURES

- Great for use in bathrooms, bedrooms and common areas
- Illuminated mirror provides balanced lighting
- Mounting hardware included
- 5 year warranty
- · Hardware installation required

Overhead lighting casts deep shadows making it ineffective for shaving or applying makeup. Illuminated mirror emits light at eye level. It is an even amount of light which highlights all areas of your face and it also provides great task lighting.

Smart Solution: LED lights uses at least 75% less energy compared to incandescent lighting and lasts 25 times longer than incandescent lighting. If used for 12 hrs a day LED lights would last for more than 12 yrs. That's smart long-term energy savings and significant replacement cost savings.

VIENNA 200145

LED illuminated frameless mirrors make any space feel modern, light and bright. A well-placed mirror makes the most of a room's natural light, enhances views and can visually open up spaces to create new height and depth. Renin Backlit Mirror includes a fully enclosed powder coated slim design metal cabinet with a silicone gasket around the perimeter. LED lights are wrapped in a silicone gasket which protects against moisture related issues. Silicone does not discolor, haze or break down over time. LED strip is firmly secured inside a metal channel that keeps the LED strip in place which does not create shadow lines through the mirror face. Mounting hardware including screws, anchors, and bubble level.

HOURS USAGE	LUMENS	DAYLIGHT COLOR TEMPERATURE	USES LESS ENERGY
50,000	2,640	6,000 Kelvin	75%







BOLERO



FRAME TYPE

LED Illuminated Mirror

FRAME SIZE	
INCHES	CENTIMETERS
54" x 42"	137.16 cm x 106.68 cm

FEATURES

- Great for use in bathrooms. bedrooms and common areas
- Illuminated mirror provides balanced lighting
- Mounting hardware included
- 5 year warranty
- Hardware installation required

Overhead lighting casts deep shadows making it ineffective for shaving or applying makeup. Illuminated mirror emits light at eye level. It is an even amount of light which highlights all areas of your face and it also provides great task lighting.

Smart Solution: LED lights uses at least 75% less energy compared to incandescent lighting and lasts 25 times longer than incandescent lighting. If used for 12 hrs a day LED lights would last for more than 12 yrs. That's smart long-term energy savings and significant replacement cost savings.

BOLERO 200146

LED illuminated frameless mirrors make any space feel modern, light and bright. A well-placed mirror makes the most of a room's natural light, enhances views and can visually open up spaces to create new height and depth. Renin Backlit Mirror includes a fully enclosed powder coated slim design metal cabinet with a silicone gasket around the perimeter. LED lights are wrapped in a silicone gasket which protects against moisture related issues. Silicone does not discolor, haze or break down over time. LED strip is firmly secured inside a metal channel that keeps the LED strip in place which does not create shadow lines through the mirror face. Mounting hardware including screws, anchors, and bubble level.

HOURS USAGE	LUMENS	DAYLIGHT COLOR TEMPERATURE	USES LESS ENERGY
50,000	2,640	6,000 Kelvin	75%



LANDSCAPE



FRAME TYPE	
LED Illuminated Mirror	

FRAME SIZE	
INCHES	CENTIMETERS
36" x 32"	91.44 cm x 81.28 cm

FEATURES

- On/off sensor touch light with dimmer control
- Great for use in bathrooms, bedrooms and common areas
- Illuminated mirror provides balanced lighting
- Mounting hardware included
- 5 year warranty
- Hardware installation required

Overhead lighting casts deep shadows making it ineffective for shaving or applying makeup. Illuminated mirror emits light at eye level. It is an even amount of light which highlights all areas of your face and it also provides great task lighting.

Smart Solution: LED lights uses at least 75% less energy compared to incandescent lighting and lasts 25 times longer than incandescent lighting. If used for 12 hrs a day LED lights would last for more than 12 yrs. That's smart long-term energy savings and significant replacement cost savings.

LANDSCAPE 200158

LANDSCAPE 200158

LED illuminated frameless mirrors make any space feel modern, light and bright. A well-placed mirror makes the most of a room's natural light, enhances views and can visually open up spaces to create new height and depth. Renin Backlit Mirror includes a fully enclosed powder coated slim design metal cabinet with a silicone gasket around the perimeter. LED lights are wrapped in a silicone gasket which protects against moisture related issues. Silicone does not discolor, haze or break down over time. LED strip is firmly secured inside a metal channel that keeps the LED strip in place which does not create shadow lines through the mirror face. Mounting hardware including screws, anchors, and bubble level.

H	OURS USAGE	LUMENS	DAYLIGHT COLOR TEMPERATURE	USES LESS ENERGY
50	0,000	2,596	6,000 Kelvin	75%



acmesystemsandhardware.com

-

1-800-493-5263

WAIT, THERE'S MORE...

NEW INVISIGLIDE







MELODY



FRAME TYPE

LED Illuminated Mirror with Bluetooth® enabled wireless speaker

FRAME SIZE	
INCHES	CENTIMETERS
32" x 24"	81.28 cm x 60.96 cm

FEATURES

- Integrated Bluetooth® enabled wireless speaker to connect your media devices
- On/off sensor touch light with dimmer control
- Great for use in bathrooms, bedrooms and common areas
- Illuminated mirror provides balanced lighting
- Mounting hardware included
- 5 year warranty
- · Hardware installation required

Overhead lighting casts deep shadows making it ineffective for shaving or applying makeup. Illuminated mirror emits light at eye level. It is an even amount of light which highlights all areas of your face.

Smart Solution: LED lights uses at least 75% less energy compared to incandescent lighting and lasts 25 times longer than incandescent lighting.

MELODY 200156

LED illuminated frameless mirrors make any space feel modern, light and bright. A well-placed mirror makes the most of a room's natural light, enhances views and can visually open up spaces to create new height and depth. With Bluetooth technology your mirrors evolve to create a new immersive experience. Renin Backlit Mirror includes a fully enclosed powder coated slim design metal cabinet with a silicone gasket around the perimeter. LED lights are wrapped in a silicone gasket which protects against moisture related issues. Silicone does not discolor, haze or break down over time. LED strip is firmly secured inside a metal channel that keeps the LED strip in place which does not create shadow lines through the mirror face. Mounting hardware including screws, anchors, and bubble level.

HOURS USAGE	LUMENS	DAYLIGHT COLOR TEMPERATURE	USES LESS ENERGY
50,000	2,596	6,000 Kelvin	75%

SYMPHONY



FRAME TYPE

LED Illuminated Mirror with Bluetooth® enabled wireless speaker

FRAME SIZE	
INCHES	CENTIMETERS
32" x 24"	81.28 cm x 60.96 cm

FEATURES

- Integrated Bluetooth® enabled wireless speaker to connect your media devices
- On/off sensor touch light with dimmer control
- Great for use in bathrooms, bedrooms and common areas
- Illuminated mirror provides balanced lighting
- Mounting hardware included
- 5 year warranty
- Hardware installation required

Overhead lighting casts deep shadows making it ineffective for shaving or applying makeup. Illuminated mirror emits light at eye level. It is an even amount of light which highlights all areas of your face.

Smart Solution: LED lights uses at least 75% less energy compared to incandescent lighting and lasts 25 times longer than incandescent lighting.

SYMPHONY 200157

LED illuminated frameless mirrors make any space feel modern, light and bright. A well-placed mirror makes the most of a room's natural light, enhances views and can visually open up spaces to create new height and depth. Renin Backlit Mirror includes a fully enclosed powder coated slim design metal cabinet with a silicone gasket around the perimeter. LED lights are wrapped in a silicone gasket which protects against moisture related issues. Silicone does not discolor, haze or break down over time. LED strip is firmly secured inside a metal channel that keeps the LED strip in place which does not create shadow lines through the mirror face. Mounting hardware including screws, anchors, and bubble level.

HOURS USAGE	LUMENS	DAYLIGHT COLOR TEMPERATURE	USES LESS ENERGY
50,000	1,584	6,000 Kelvin	75%







CASSINI



FRAME TYPE

LED illuminated 2 door medicine cabinet mirror

FRAME SIZE	
INCHES	CENTIMETERS
24" x 27.5"	60.96 cm x 69.85 cm

FEATURES

- Adjustable 6mm Tempered glass shelves
- On/off switch
- Illuminated mirror provides balanced lighting
- Powder coated steel cabinet
- 5 year warranty
- 2 Door Design
- Hardware installation required

Overhead lighting casts deep shadows making it ineffective for shaving or applying makeup. Illuminated mirror emits light at eye level. It is an even amount of light which highlights all areas of your face and it also provides great task lighting.

Smart Solution: LED lights uses at least 75% less energy compared to incandescent lighting and lasts 25 times longer than incandescent lighting.

CASSINI 200172-NL

LED illuminated frameless mirror cabinets make any space feel modern, light and bright. A well-placed mirror makes the most of a room's natural light, enhances views and can visually open up spaces to create new height and depth. If used for 12 hrs a day LED lights would last for more than 12 yrs. That's smart long-term energy savings and significant replacement cost savings. Renin illuminated mirrors including the slim profile cabinet and the electrical hardware are all Underwriters Laboratories (UL) certified to ensure that the illuminated mirror is in compliance to national electrical code requirements.

H	HOURS USAGE	LUMENS	DAYLIGHT COLOR TEMPERATURE	USES LESS ENERGY
Ē	50,000	1,320	6,000 Kelvin	75%

ANTICA



FRAME TYPE

LED illuminated 1 door medicine cabinet mirror

FRAME SIZE	
INCHES	CENTIMETERS
20" x 27.5"	50.8 cm x 69.85 cm

FEATURES

- Adjustable 6mm Tempered glass shelves
- On/off switch
- Illuminated mirror provides balanced lighting
- Powder coated steel cabinet
- 5 year warranty
- 1 Door Design
- Hardware installation required

Overhead lighting casts deep shadows making it ineffective for shaving or applying makeup. Illuminated mirror emits light at eye level. It is an even amount of light which highlights all areas of your face and it also provides great task lighting.

Smart Solution: LED lights uses at least 75% less energy compared to incandescent lighting and lasts 25 times longer than incandescent lighting.

ANTICA 200171-NL

LED illuminated frameless mirror cabinets make any space feel modern, light and bright. A well-placed mirror makes the most of a room's natural light, enhances views and can visually open up spaces to create new height and depth. If used for 12 hrs a day LED lights would last for more than 12 yrs. That's smart long-term energy savings and significant replacement cost savings. Renin illuminated mirrors including the slim profile cabinet and the electrical hardware are all Underwriters Laboratories (UL) certified to ensure that the illuminated mirror is in compliance to national electrical code requirements.

HOURS USAGE	LUMENS	DAYLIGHT COLOR TEMPERATURE	USES LESS ENERGY
50,000	2,112	6,000 Kelvin	75%



WALL DECOR MIRRORS



FRAMELESS

Table of Contents







WALL DECOR MIRRORS FRAMELESS

A beautiful home is one that reflects your personal style, and what better way to do so then with the elegant addition of a mirror. As an innovator in home design, we've created a lineup of mirrors with the ability to instantly enlarge a space or accentuate its features.

Browse our selection of mirrors and you'll quickly discover why it's so easy to see yourself with a Renin mirror.

1/2" BEVELED EDGE MIRRORS				
FRAMELES	SS			
MODEL	SIZE IN INCHES	SIZE IN MM	DESCRIPTION	PAGE
201120	20" x 24"	508 mm x 610 mm	3 mm clear 1/2" beveled mirror with hanging hardware	
201180	24" x 30"	610 mm x 762 mm	3 mm clear 1/2" beveled mirror with hanging hardware	
201200	24" x 36"	610 mm x 914 mm	3 mm clear 1/2" beveled mirror with hanging hardware	
201240	30" x 36"	762 mm x 914 mm	3 mm clear 1/2" beveled mirror with hanging hardware	
201260	30" x 42"	762 mm x 1067 mm	3 mm clear 1/2" beveled mirror with hanging hardware	
201280	30" x 48"	762 mm x 1219 mm	3 mm clear 1/2" beveled mirror with hanging hardware	186
201320	36" x 36"	914 mm x 914 mm	3 mm clear 1/2" beveled mirror with hanging hardware	100
201360	36" x 48"	914 mm x 1219 mm	3 mm clear 1/2" beveled mirror with hanging hardware	
205200	14" x 54"	356 mm x 1372 mm	3 mm clear 1/2" beveled mirror with hanging hardware	
205220	16" x 60"	406 mm x 1524 mm	3 mm clear 1/2" beveled mirror with hanging hardware	
201000	12" x 12" (Pack of 6)	305 mm x 305 mm	3 mm clear 1/2" beveled mirror with hanging hardware	

POLISHED	POLISHED EDGE MIRRORS				
FRAMELES	SS				
MODEL	SIZE IN INCHES	SIZE IN MM	DESCRIPTION	PAGE	
201204	24" x 36"	610 mm x 914 mm	4 mm clear polished edge mirror with hanging hardware		
201244	30" x 36"	762 mm x 914 mm	4 mm clear polished edge mirror with hanging hardware		
201324	36" x 36"	914 mm x 914 mm	4 mm clear polished edge mirror with hanging hardware		
201364	36" x 48"	914 mm x 1219 mm	4 mm clear polished edge mirror with hanging hardware	187	
201384	36" x 60"	914 mm x 1524 mm	4 mm clear polished edge mirror with hanging hardware		
201414	36" x 42"	914 mm x 1067 mm	4 mm clear polished edge mirror with hanging hardware		
201010	12" x 12" (Pack of 6)	305 mm x 305 mm	4 mm clear polished edge mirror with hanging hardware		



Gacme[®]





AVAILABLE	FRAME SIZE	
MODEL	INCHES	MILLIME- TERS
201120	20" x 24"	508 mm x 610 mm
201180	24" x 30"	610 mm x 762 mm
201200	24" x 36"	610 mm x 914 mm
201240	30" x 36"	762 mm x 914 mm
201260	30" x 42"	762 mm x 1067 mm
201280	30" x 48"	762 mm x 1219 mm
201320	36" x 36"	914 mm x 914 mm
201360	36" x 48"	914 mm x 1219 mm
205200	14" x 54"	356 mm x 1372 mm
205220	16" x 60"	406 mm x 1524 mm
201000	12" x 12"	305 mm x 305 mm

EEATLIBES	
PEATURES	

- 3 mm Frameless mirror
- Hangs vertically or horizontally
- 1/2" Beveled edge
- Mounting Hardware Included



FRAMELESS BEVELED EDGE MIRRORS

Frameless Mirrors 3 mm Clear 1/2" Beveled Mirror With Hanging Hardware

1-800-493-5263





Gacme[®]



FRAME TYPE

Frameless Polished Edge Mirrors

AVAILABLE FRAME SIZE					
MODEL	INCHES	MILLIME- TERS			
201204	24" x 36"	610 mm x 914 mm			
201244	30" x 36"	762 mm x 914 mm			
201324	36" x 36"	914 mm x 914 mm			
201364	36" x 48"	914 mm x 1219 mm			
201384	36" x 60"	914 mm x 1524 mm			
201414	36" x 42"	914 mm x 1067 mm			
201010	12" x 12"	305 mm x 305 mm			

FEATURES

- 4 mm Frameless mirror
- Hangs vertically or horizontally
- Polished edge
- Mounting Hardware Included

FRAMELESS POLISHED EDGE MIRRORS

Frameless Mirrors 3 mm Clear Polished Edge Mirror With Hanging Hardware

WARRANTY INFORMATION

5 YEAR LIMITED WARRANTY

Renin warrants all wall decor, door components & hardware for its barn door, sliding, bypass, bifold, pivot and overlay doors against defects in workmanship and materials subject to ordinary wear and tear, for the limited life of these products. This includes door frame components, top tracks, top guides, bottom rollers, pivot hardware and hinges. Further, Renin warrants all safety backed mirror against defects in material and workmanship for a period of five (5) years from the date of purchase. This warranty shall not apply if damages are due to abuse, mishandling, improper installation or use; incidental or coincidental water and/or moisture exposure or foreign matter which includes drippings from ceiling materials or paint; or materials placed on the back or edges of product by others; or requirement / treatments applied or mirror failure which includes black edge, discoloration and slight hardware rusting when installed within five (5) miles of the ocean.

This warranty does not extend to any labor charges incurred in the initial installation, the removal, re-installation or replacement of any defective products or parts thereof. In the event of a defect, malfunction or other failure of the product to which this warranty applies, Renin will remedy the failure or defect, without charge to the consumer within thirty (30) days from the actual receipt of the product, or refund of the purchase price at Renin's discretion.

To obtain performance under this warranty, the consumer should contact our Customer Service Department at 1-800-493-5263, between 8:30 am and 5:00 pm EST, Monday to Friday. This limited warranty is given to the original purchaser only, and is in lieu of all others including the implied warranty merchantability and fitness for a particular purpose and excludes all incidental or consequential damages. Some states do not allow limitations on how long an implied warranty lasts, return of merchandise, or the exclusion or limitation of incidental or consequential damages. Therefore these limitations may not apply to you. Should you have any questions, contact our Customer Service Department at 1-800-493-5263.

FIND US ONLINE

SALES & CUSTOMER SERVICE

For installation instructions or product inquiries and availability go to:

acmesystemsandhardware.com or Renin.com

For product orders and quotes email us at:

orders@renincorp.com

quotes@renincorp.com

Or call or Fax us at:

1-800-493-5263

FAX 1-800-481-4659





